

Web-based Supplementary Materials for
“An Application of a Mixed-Effects Location Scale Model for Analysis of
Ecological Momentary Assessment (EMA) Data”
by Donald Hedeker, Robin J. Mermelstein, and Hakan Demirtas

Below is a sample of syntax necessary to run the mixed location scale model described in this article. In this syntax, uppercase letters are used for SAS specific syntax and lowercase letters are used for user defined entities. In terms of the variables used in this syntax, y denotes the outcome, x_1 denotes a prompt- or time-varying covariate, x_2 denotes a subject-level or time-invariant covariate, and id is a subject identifier. The random location effect is named u_1 and the random scale effect is named u_2 . The model for the mean response is summarized by z , with the regression coefficients (β) named b_0 , b_1 , and b_2 . The model for the BS variance is given by $varu_1$, with $lnvaru_1$ indicating the reference BS variance (*i.e.*, the between-subjects variance when the covariate x_2 equals 0), in ln units, and alp_1 characterizing how this variance varies with x_2 . Similarly, for the model of the within-subjects (WS) variance, $vare$ is modeled in terms of a reference variance $lnvare$, in ln units, with coefficients tau_1 and tau_2 specified for the two WS variance influences x_1 and x_2 , respectively.

```
PROC NLMIXED GCONV=1e-12;
PARMS b0=.25 b1=-.5 b2=.3 lnvaru1=1 varu2=.05 cov12=0
      alp1=0 lnvare=1 tau1=0 tau2=0;
z = b0 + b1*x1 + b2*x2 + u1;
varu1 = EXP(lnvaru1 + x2*alp1);
vare = EXP(lnvare + x1*tau1 + x2*tau2 + u2);
MODEL y ~ NORMAL(z,vare);
RANDOM u1 u2 ~ NORMAL([0,0], [varu1,cov12,varu2]) SUBJECT=id;
RUN;
```

Users must provide starting values for all parameters on the `PARMS` statement. To do so, it is beneficial to run the model in stages using estimates from a prior stage as starting values and setting the additional parameters to zero or some small value. For example, one can start by estimating a random-intercepts model with fixed effects (β), BS variance (`lnvaru1`), and WS variance (`lnvare`). Estimates of these parameters can then be specified as starting values in a model that adds in the WS variance parameters τ , and then the BS variance parameters α (or vice versa). Finally, the full model with the additional parameters σ_ω^2 (or `varu2`) and $\sigma_{v\omega}$ (or `cov12`) can be estimated. In practice, this approach works well with PROC NLMIXED, which sometimes has difficulties in converging to a solution for complex models. Also, in our experience, it seems that specifying a small starting value for the second random effect variance (σ_ω^2 or `varu2`) helps model convergence. Furthermore, for complex models, it is sometimes the case that the default convergence criteria is not strict enough. In the above syntax, the convergence criteria is specified as `GCONV=1e-12` on the PROC NLMIXED statement. The results in this article did change a bit as this stricter criteria was applied, relative to the default specification, however the results did not change beyond this level. It would seem that this level is a reasonable choice, however it probably should be examined on a case-by-case basis.