

Subject Index

- Aging
 - blood brain barrier and brain blood flow and, 301-305
 - neurological function and, 301-302
- Air gap effect, 181, 183
- Amaurosis fugax and cerebral infarction, 23
- Anesthesia
 - and ventilation in EEG monitoring, 363
 - in vertebral artery surgery, 260
- Anesthetic, ocular, 347
- Angiogram
 - false negative, 9-10
 - versus pathological anatomy, 9-10
 - vertebral, 319
- Angiography
 - cerebral hemodynamic evaluation and, 355-356
 - and conception of anatomy and pathology, 223
 - dynamic, 10-11; *see also* CT scan, dynamic system of
 - fluorescein cerebral, and contrast enhanced computed tomography, 151, 153, 155
 - limitations of current systems of, 10
 - magnification stereoscopic, 175-188
 - vertebral, 252-253, 319
- Aortic constriction, 172
- Aortic intimal thrombus, 172
- APP (automated physiologic profile), 201-215
- Arteries
 - endothelium, normal and injured, 170
 - mechanisms of obstruction
 - constriction, 7, 169, 171; *see also* Hypoglossal carotid entrapment
 - kinking, *see* Kinking
 - stenosis, 108-116, 168; *see also* Carotid stenosis
 - obstruction
 - dynamic versus static, 7
 - hemodynamic phenomena associated with, 168
 - significant, criteria for, 7-8
 - shear stress, 167-173
- Arteries to the brain
 - angiogram versus pathological anatomy of, 9-10; *see also* Brain hemodynamics
 - carotid, *see* Carotid *entries*
 - carotid cutaneous plethysmographic monitoring (CCPPG), *see* Carotid cutaneous plethysmographic monitoring
 - corrosion casting of, 193, 195
 - dynamic angiography of, 10-11
 - neck significance in, 9
 - obstruction
 - distal to circle of Willis, 256, 308
 - proximal to circle of Willis, 257, 307
 - significant, 7, 8
 - ophthalmic, hypotension in, 20, 286
 - vertebral artery, *see* Vertebral artery
 - vulnerable vascular bed, 18-23
- Arterioles and capillaries of brain, corrosion casting of, 196
- Arteriovenous malformation
 - brain hemodynamics in, 316, 318-319
 - common carotid velocity pattern in, 339
- Atherosclerotic process, 7
- Atlas, 254
 - and axis, surgical fusion of, in vertebral artery surgery, 276
- Automated physiologic profile (APP), 201-215
- B-CSF-B (blood-CSF barrier), 161
- Basilar artery hypotension, 15, 19
- Basilar obstruction, ischemia pattern in, 105, 106
- BBB, *see* Blood-brain barrier
- BBC (brain blood circulation), *see* CT-rBBC studies
- BBF, *see* Brain blood flow
- Bell's palsy, 20-21
- BF, *see* Blood flow
- Blepharospasm provoked by carotid compression, 354
- Blindness, cortical, 252
 - following release of tourniquet, 283-284, 289
- Blood
 - microembolism in, 5-6
 - plasma volume of, 3
 - red blood cell mass and viscosity of, 3-4
 - reduced viscosity of, and cerebral vasospasm, 4
- Blood-brain barrier (BBB), 159-164
 - and blood-CSF barrier, diameters of particles excluded from CNS by, 161
 - and brain blood flow, aging and, 301-305
 - and cerebral blood flow, contrast media and, 141-147
 - characteristics of, 159
 - disrupted, and contrast enhanced computed tomography, 156-157

- Blood-brain barrier (*contd*)
 effects of contrast media on, 163-164
 elucidation of, by electron microscopy, 161
 evolution of concept of, 159-161
 features of, 160
 modifiability of, 162-163
 physiological mechanisms of, 161-162
 transport across, mediated and active, 162
- Blood-CSF barrier, 161
- Blood flow (BF)
 through arterial stenosis, 167
 in brain (BBF), *see* Brain blood flow
 cerebral (CBF), *see* Cerebral blood flow *and*
 Cerebral blood flow, regional
 through hemangioma, 288-289
 regional vertebral basilar, and arm exercise,
 288
 and sleep and brain metabolism, 305
 subclavian artery, 287
 vertebral artery, 287
- Blood flow measurements using tracers, 31-32
- Blood flow relationship between carotid arteries,
 256
- Blood pressure, systemic, effect of, 386
- Brachial hyperemia and ophthalmic artery
 hypotension, 286
- Brachiocephalic evaluation, hemodynamic,
 337-338
- Bradycardia due to jugular vein retraction, 364,
 366
- Brain
 arteries to, *see* Arteries to brain
 corrosion casting of arterioles and capillaries
 of, 196
 dynamic CT of, 85-95
 global ischemia of, 213
 hypoxia of, 213
 normal, response of, to contrast media, 143-144
- Brain blood circulation, regional, *see* CT-rBBC
 studies
- Brain blood **flow** (BBF)
 altered cardiovascular dynamics and, 201-215
 basic concepts of, 255-257
 and blood-brain barrier, aging and, 301-305
 caffeine and nicotine and, 320-321
 calculating, with CT dynamic scanner, 67-71
 versus cerebral blood flow, 99
 determining, 209, 212
 gravity and, 3
 past and future of, 23-25
 and perfusion, 1-2
 prostaglandin effects on, 213, 215
- Brain blood flow system, 1-25
 arteries to brain in, 6-11
 autoregulation of, 2
 blood as common denominator of, 3-4
 gravity and, 3
 heart as pump in, 5-6
 vulnerable vascular beds, *see* Vulnerable
 vascular beds
- Brain blood volume and brain blood flow
 calculation with CT scan, 70
- Brain hemodynamics
 carotid clamping in surgery, 367, 384-385
 carotid compression, 329, 331, 332, 351-355
 carotid cutaneous plethysmographic monitoring
 (CCPPG), *see* Carotid cutaneous
 plethysmographic monitoring
 cerebral hemodynamic evaluation, *see* Cerebral
 hemodynamic evaluation
 CT-rBBC studies, *see* CT-rBBC studies
 EEG
 operative monitoring, *see* EEG, monitoring
 vascular laboratory, 325-334
 vertebral artery clamping, 367-368
- Brain hemorrhage and injury, 213
- Brain ischemia
 cardiogenic, and diffuse impairment of brain
 perfusion, 107-108
 CT study of, 106-116
 transient factors in, 257
- Brain lesions
 factors in contrast enhancement of, 144
 response of, to contrast media, 141-143
- Brain metabolism and sleep, blood flow and, 305
- Brain perfusion
 brain blood flow and, I-2
 caffeine and nicotine and, 338
 heart rate and, 316, 318, 320
 postoperative changes in, 107
 reduced, pathological, 8
- Brain perfusion studies, reliability of, 24
- Brain tissue-blood partition coefficients, 76-77
- Brain tumor
 benign (meningioma pattern), 89
 malignant, with arteriovenous fistula, 89,
 93-94
 rCBF and, 82-83
- Brainstem ischemia
 in carotid hemisphere, 115
 and periodic respiration or apnea, 288
 and release of tourniquet, 283-289
- Bypass surgery, 267-274, 307-323
 common carotid, distal vertebral, 252, 267-269,
 272-273
 external carotid, distal vertebral, 267, 271, 272,
 274
 internal carotid, distal vertebral, 267
 occipital, distal vertebral, 267, 271, 274
 subclavian, distal vertebral, 267, 272, 311-312,
 315
 superficial middle cerebral, 318
 superficial temporal-middle cerebral
 (STA-MCA), 315-316, 318

- CA, *see* Carotid artery(ies)
- Caffeine and nicotine
 and brain blood flow, brain hemodynamics in, 320-321
 and brain perfusion, 338
- Caloric testing for vestibular decruitment, 292-298
- Capillary, cerebral, cross section of, 303
- Capillary permeabilities and response to contrast media, 144
- Cardiac diseases, 215
 dysrhythmia
 dysfunction and, 202-203
 EEG of effect of, 386
 hemodynamics of, 342, 349, 350
 photoplethysmograph rhythm in, 385, 386
 and right ventricular pacing, hemodynamics of, 342
 ventricular dysfunction, 346
- Cardiac evaluation using nuclear medicine procedures, 217-222
- Cardiac studies, dynamic radionuclide. 218
- Cardiogenic stress, EEG in, 362-364
- Cardiogenic background, value of, 353
- Cardiovascular dynamics, altered, and brain blood flow, 201-215
- Carotid artery(ies)
 bypass surgery, 267-274, 307-323
 clamping of, 367-376, 384-385
 corrosion casting of, 197-198
 embolism, 229-230
 entrapment of
 by hypoglossal nerve, *see* Hypoglossal carotid entrapment
 and posterior fossa pathology, 295-297
 by vagus and hypoglossal nerves, 231
 external (ECA)
 as collateral pathway, 382
 occlusion of, after endarterectomy, 389
 internal (ICA)
 dissecting aneurysm of, 242, 244
 dynamic obstructions of, 224
 hypoglossal nerve and, 223, 244, 245
 kink in, 382-383
 stenosis of, 384, 385
 reciprocal BF relationship between, 256, 338
- Carotid-to-carotid steal, 13-14
- Carotid compression
 in cerebral hemodynamic evaluation, 351-355
 neck examination in, 352-353
 nystagmus and blepharospasm provoked by, 354, 356
 and ocular and ophthalmic artery pressures, 352, 354
 producing vertebral basilar symptoms, 331
 provoking complete heart block, 353
- Carotid compression EEG and cerebral hemodynamic evaluation, 329, 331, 332
- Carotid cutaneous plethysmographic monitoring (CCPPG)
 during carotid clamping test, 384-385
 during carotid reconstructive surgery, 379-391
 in internal carotid artery stenosis, 384
 systemic blood pressure, 385-386
- Carotid-distal vertebral artery bypass, 272-273
- Carotid endarterectomy, hypertension after, 209
- Carotid obstruction
 adolescence and, 226
 cerebral perfusion and, 309
 ischemia pattern in, 105, 106
 ophthalmic migraine and cerebral edema and, 224, 226-227
 right, with left occipital ischemia, 317
 right, with left parietal ischemia, 236-237
- Carotid occlusion
 HCE and, 239, 241
 internal, and ocular pulse studies, 349
 with minimal focus of ischemia, 114
 normal CT-rBBC study of, 109
- Carotid pulse tracing and ECG in cerebral hemodynamic evaluation, 339
- Carotid surgery, 379-391
 CCPPG patterns in
 abnormal, during clamping, 382, 386
 normal, during clamping, 384-385
 not related to clamping, 385-386
 EEG recordings in, 382, 383-384
 EEG technique in, 380, 381
 mortality and morbidity in, 390-391
 position of head during, 386-387
 surgical techniques in, 380-383, 384
- Carotid steal, *see* Forebrain steal
- Carotid stenosis, 173
 automated physiologic profile in, 209-211
 bilateral, 111, 368
 and normal EEG, 369
 and brain blood flow calculation, 69
 clamping and, 369-370, 372, 385
 dynamic CT of brain in, 87, 88-89
- Carotid surgery with shunt, 387-390
- Carotidynia and dysequilibrium, HCE and, 231-233
- CBF, *see* Cerebral blood flow and Cerebral blood flow, regional
- CCPPG (carotid cutaneous photoplethysmography), 379-391
- Cellular edema and extravasation and enhancement. 157
- Central vestibular signs, 291-300
- Cerebellar hemangioma, 294-295, 296
- Cerebellar pathology, 124-126
- Cerebellopontine angle tumor, 292-294
- Cerebellum
 infarction of, with ischemic hindbrain, 137
 lesion in, 295

- Cerebral artery and visual problems, 20
- Cerebral autoregulation, 2
dysregulation, 22-23
- Cerebral blood flow (CBF)
and blood-brain barrier, contrast media and, 141-147
brain blood flow versus, 99
limitations of traditional measurement of, 99
local, and tissue solubility, Xe¹³³ and, 73-83
- Cerebral blood flow, regional (rCBF)
and contrast enhanced computed tomography, 150, 152-153
formulas for calculation of, 76
PET for measurement of, 41-51
three-dimensional measurement of, using inert gases, 36-37
"¹³³Xe measurement of, 31-38
three-dimensional, 36, 37, 38
two-dimensional, 32-36
- Cerebral capillary
cross section of, 303
schematic representation of, 160
- Cerebral edema
and contrast enhanced computed tomography, 157
and HCE, 224, 226-227
- Cerebral hemodynamic evaluation (CHE), 307, 335-358; see also CT-rBBC studies
angiography and, 355-356
carotid compression in, 329, 331, 332, 351-355
CT scan and CT-rBBC studies in, 356
electroencephalography and, 355
and carotid pulse tracing, 339
extended Romberg test in, 338-339, 340
extremity and brachiocephalic evaluation, 336-338
extremity stress testing and, 355
intraocular pressure measurement in, 341, 347
ocular pulse studies by ocular plethysmography in, 341-342, 347-349, 350
ophthalmic artery pressure measured by ophthalmodynamography in, 349-351
passive tilt test in, 339-341, 342-346
Valsalva maneuver in, 339
- Cerebral infarction
amaurosis fugax and, 23
cerebral hemodynamic evaluation and, 307, 335-358
contrast enhancement in, 149-157
and death, with false negative angiogram, 9-10
and HCE, 230
rCBF and, 81-82
- Cerebral perfusion and carotid obstruction, 309
- Cerebral perfusion pressure and EEG, 365
- Cerebral vascular symptoms, carotid kinks with, 223, 225, 227, 228-229, 243-244
- Cerebral vasospasm, 4
- Cerebrovascular insufficiency, 202
- Cervical vertebra, fourth, 254
- CHE, see Cerebral hemodynamic evaluation
- Circle of Willis, 256
arterial stenosis distal to, 256, 308
arterial stenosis proximal to, 108-116, 256, 307
collateral capacity of, 354-355
function of, 24
limited versus adequate, 24
- Common carotid-proximal vertebral anastomosis (CCA-PVA), 262, 264
- Computed tomography, see CT entries
- Contrast enhancement in cerebral infarction, 149-157
- Contrast media/agents
blood-brain barrier and cerebral blood flow and, 141-147
diffusible and nondiffusible, 24
effects of, on blood-brain barrier, 163-164
irritating (Umbracil), 258
new, 144-146
nonionic, 144-145
particulate, 145-146
pharmacokinetics of, 143-144
toxicity of, 163-164
- Contrast media artifact, 144-145
- Corrosion casting of head and neck vasculature, 191-199
corrosion of cast in, 193-194
resin preparation and injection in, 192
specimen preparation for, 191-192
- Cranial nerve and brainstem ischemia, 128-136, 137
- CT-rBBC studies, 97-139; see also Cerebral hemodynamic evaluation
altered perspective of physiology and anatomy in, 97-99, 112-115
brain hemodynamics, 307-323
cerebral hemodynamic evaluation in, 356
hindbrain evaluation in, 116-139
hindbrain ischemia, 134-135
infratentorial study, 119
graphic display, 119
method of, 99-103
posterior fossa study, 101, 102
supratentorial study, 101, 102, 104-116
graphic display, 118
hindbrain ischemia in, 134-135
- CT scan, dynamic system of (CTD, DECAT) 36-38
brain blood flow calculation method, 67-71
brain blood flow measurement, value of, 99
brain studies, 85-95
idealized study program in, 86
ischemic pattern in, 89
neoplasm pattern in, 95
normal contour curves in, 87
vasospasm pattern in, 94
hypoglossal carotid entrapment and, 245
introduction of, 23

- physical aspects of, 55-61
- CT scanner design, 63-66
 - dynamic spatial reconstructor (DSR), 64-65
 - electromagnetic scanning, 64
 - rotating tube, fan beam systems, 64
- CT scanners, noise in, 63-66
- CT scanning
 - introduction of, 23
 - with nonradioactive ("cold") Xenon, 37
- CTCE (contrast enhancement on computed tomography), 149-157
- Cytotoxicity and pinocytosis, 163

- Dandy Walker cyst, 125
- Deafness and posterior fossa pathology, 292-293
- DECAT (dynamic emission computer-assisted tomograph), 36-38; *see also* CT scan, dynamic system of
- Recruitment, vestibular, 291-299
- Diabetes mellitus, 215
- Diphenylhydantoin (Dilantin) intoxication, 125
- Dissecting aneurysm
 - of internal carotid artery, 242, 244
 - of vertebral artery, 271-272, 275, 276
- Doppler evaluation of brachiocephalic system, 337-338
- DVA, *see* Vertebral artery, distal
- Dynamic spatial reconstruction (DSR), 64-65
- Dysequilibrium and carotidynia, 231-233
- Dysrhythmia, ocular pulse, and cardiac pacemaker, 350

- ECG and carotid pulse tracing, 339
- ECG monitoring in vertebral artery surgery, 260-261
- EEG
 - anesthesia and ventilation in, 362
 - arterial clamping and, 367-368, 374
 - in cardiogenic stress, 362-364
 - in carotid compression, 329, 331, 332
 - in carotid reconstruction surgery, 379-391
 - cerebral hemodynamic evaluation and, 355
 - head position stress test and, 328-329, 330
 - in intracranial venous hypertension, 364-366
 - monitoring, 361-376
 - in aggravated steal (surgical), 370-374, 375
 - in carotid surgery, 379-391
 - of high-risk patient, 368-370, 371, 372
 - perioperative, 375
 - in vertebral artery surgery, 260-261
 - in neurogenic stress, 366-367
 - in tourniquet subclavian steal test, 326, 327-328
 - in vascular laboratory, 325-334
 - vertebral artery surgery and follow-up, 260-261, 331-333
- Electromagnetic scanner, 65

- Embolism
 - microembolism, 5-6
 - to middle cerebral artery, HCE and, 229-230
 - retinal, and HCE, 230-231
 - to vertebral artery, 275
- Endothelial cytoplasm, enzymatic degradation within, 162
- Equilibrium study, gated, 217-222
- Extremity evaluation in cerebral hemodynamic evaluation, 336-338
- Extremity stress testing, 355
- Eyes, opening and closing of, and rCBF, 80-81

- Facial neuralgia, 233, 235
- Fan beam CT scanner, 64
- Focal ischemia, 129
- "Forebrain" and "hindbrain", definition, 98, 256
- Forebrain-hindbrain steal, 229
- Forebrain steal (carotid steal)
 - brain hemodynamics in, 309-316
 - carotid-to-carotid, 13-14
 - EEG in, 370, 373, 375
 - hindbrain consequences of, 316
 - hindbrain ischemia, 130-131
 - interhemispheric, 113
- Gated equilibrium study, 217-222
 - displays in
 - cardiac cycle, 218, 220
 - composite image, 218, 220
 - functional images, 218, 221
 - left ventricular ejection rate, 219-220
 - phase image, 220-222
 - regurgitation index, 219, 221
- Glioblastoma multiforme, 93
- Gravity, brain blood flow and, 3

- HBI, *see* Hindbrain ischemia
- HCE, *see* Hypoglossal carotid entrapment
- Head and neck angiography requirements, 10
- Head and neck vasculature, corrosion casting of, 191-199
- Head immobilization and dynamic obstructions, 237
- Head motion
 - and arterial wall disintegration, 273, 276
 - biomechanics of, 271, 274
- Head position
 - altered, symptoms from, 7
 - and carotid kinks in surgery, 387
- Head position stress test, EEG and, 328-329, 330
- Head rotation, subluxation of vertebra and vertebral artery occlusion and, 330
- Headaches
 - intractable, and HCE, 233, 235, 237, 239, 241-242

- Headaches (contd.)
 migraine, and tourniquet subclavian steal, 284-285
 ophthalmic migraine, and HCE, 224, 226-227
- Heart block and carotid compression, 353
- Heart as pump, 5-6
- Heart rate
 and brain perfusion, 316, 318, 320
 and supratentorial CT-rBBC, 320
- Hemangioblastoma, asymptomatic, 125-126
- Hemangioma
 blood flow through, 288-289
 cerebellar, 294-295, 296
- Hematoma response to contrast media, 142
- Hemianopia, 5
- Hemodynamic significance of neck, 9
- Hemodynamics
 arterial, 168, 316, 318-319
 brain, *see* Brain hemodynamics
 cardiac, 342, 349, 350
 cerebral (excluding hindbrain), *see* Cerebral *entries*
 system
 arteries to the brain, *see* Arteries to the Brain
 blood pressure, 386
 blood viscosity, 3-4
 blood volume, 3
 gravity, 3
 heart, 5-6, 201-215
 as a system, 2-3
 vertebral artery, 15, 18, 21-22
 vulnerable vascular beds, *see* Vulnerable vascular beds
 vascular bed, *see* Brain perfusion
- Hemorheology and viscosity, 213
- Hemorrhage, brain, 213
- Hemorrhage response to contrast media, 142
- Hindbrain consequences of forebrain steal, 316
- Hindbrain evaluation, 116-139
 CT-rBBC in, 118-139
- "Hindbrain" and "forebrain", defined, 98, 256
- Hindbrain-forebrain steal with carotid and vertebral clamping, 368
- Hindbrain ischemia (HBI), 117
 factors in, 257
 focal, and forebrain steal, 131
 with infarction of cerebellum, 137
 with localization, 121-136
 without localization, 120
 patterns of, 121
 signs and symptoms of, 257-258
 and supratentorial CT-rBBC study, 134-135
 in thoracic outlet syndrome, 127
 vertebral artery clamping and, 371
- Hindbrain steal
 interhemispheric and, 237, 238
 and reflex hyperemia, EEG in, 371, 373, 374, 375
 and vertebral artery surgery, EEG in, 372
- Hindbrain symptomatology, 277
- Hyperemia
 reflex, and vertebral steal, 371, 373, 374, 375
 watershed, 112
- Hypertension
 and arterial kinking, 225, 227, 228-229
 after carotid endarterectomy, 209
- Hypoglossal carotid entrapment (HCE), 233-246
 carotid occlusion and, 239, 241
 dissecting aneurysm with, 244
 palsy, 243
 paralysis and headache, 241-242, 243
 right carotid obstruction due to, 308-309
 tuberculous lymphadenitis and, 235-237
 upper respiratory infections and, 242
- Hypovolemia and excess total peripheral resistance, APP in, 209, 212
- Hypoxia of brain, 213
- Inert gases
 as diffusible tracers, 32
 in rCBF three-dimensional measurement, 36-37
- Infarction
 due to angiospasm, 156
 of cerebellum, with ischemic hindbrain, 137
 ischemic dynamic CT of brain in, 87, 90, 91
 and mass displacement and CT contrast enhancement, 152
 traumatic, dynamic CT of brain in, 92
- Interhemispheric and forebrain steal, 309-316
- Interhemispheric and hindbrain steal, 238
- Interhemispheric steal, 113
 brain hemodynamics in, 308-321
 and contralateral ischemia, 370
 in high-risk patient, 368
 and vertebral artery surgery, EEG in, 372
- Interstitial edema and response to contrast media, 144
- Intimal diseases, 6-7
- Intimal hyperplasia at arterial constriction site, 167-173, 234
- Intracellular concentration and response to contrast media, 144
- Intracranial venous hypertension EEG, 364-366
- Intraocular pressure measurement in cerebral hemodynamic evaluation, 341, 347
- Inverse steal syndrome, 35
- Ischemia
 of brain, global, 213
 brainstem, and tourniquet release, 283
 hindbrain, and clamping, 371
 internal capsule, with watershed hyperemia, 112
 luxury perfusion or severe, PET measurement of, 50-51
 parietal, with carotid obstruction, 236-237
 patterns of, 105, 106
 pons and cerebellum, 126-128

- posterior fossa, 125
- temporal lobe, focal, 124
- Isotopes, various positron-emitting, 36-37

- Jugular vein ligation, EEG and, 364, 365
- Jugular vein retraction, bradycardia due to, 364, 366

- Kinking
 - carotid artery, 223, 225, 227-229, 243-244
 - fatal, 10
 - and head position in surgery, 387
 - internal carotid artery, EEG and CCPPG in, 382-383
 - vertebral artery, 271, 332

- LCBF (local cerebral blood flow), 76-83; *see also*
 - Cerebral blood flow, regional
- Lumbar sympathectomy, bilateral, hemodynamics in, 345
- Lumen size and handling effect on carotid shunt flow, 387
- Luxury perfusion or severe ischemia, PET
 - measurement of, 50-51

- Magnification stereoscopic angiography, 175-188
 - advantages of, 176-183
 - clinical results of, 186, 187, 188
 - current technique of, 183-186
- Media degeneration, 7
- Meniere's disease, 129
- Meningioma
 - frontal, 94
 - response of, to contrast media, 142
- Metastatic adenoma response to contrast media, 142
- Migraine headache
 - ophthalmic, and HCE, 224, 226-227
 - and tourniquet subclavian steal, 284-285
- Moya-Moya disease (MVA), 155; *see also*
 - Vertebral artery, mid-
- Myocardial pump failure treatment, 209

- Neck; *see also* Head and neck *entries*
 - examination of, 352-353
 - hemodynamic significance of, 9
 - importance of autopsy of, 9
- Neuralgia, facial, and HCE, 233, 235
- Neurogenic stress, EEG in, 366-367
- Neurological function, aging and, 301-302
- Neurotology and HCE, 233, 234
- Nicotine and caffeine
 - and brain blood flow, 320-321
 - and brain perfusion, 338
- Noise effect in magnification radiography, 179-181, 182
- Nuclear medicine procedures in cardiac evaluation, 217-222
- Nystagmus, 291-298
 - provoked by carotid compression, 354, 356

- Occipital lobe
 - recurring embolism in, 275
 - and visual field defect, 5
- Occipital lobe infarction, 5
- Occipital lobe ischemia, 121-123
 - left, with right carotid obstruction, 317
 - unilateral, 122
- Occipital lobe steal from contralateral forebrain, 312, 317
- Ocular anesthetic, 347
- Ocular pulse
 - amplitude of
 - and brachial pulse pressure, 348
 - and ophthalmic artery pressure, 350
 - delay, 34, 350
 - and dysrhythmia and cardiac pacemaker, 350
 - studies, 347
 - and internal carotid occlusion, 349
 - by ocular plethysmography in cerebral hemodynamic evaluation, 341-342, 347-349, 350
 - transmission time (OPTT), 351
- OPG (ocular plethysmography), *see* Ocular pulse
- Ophthalmic artery hypotension, 286
- Ophthalmic artery pressure
 - measured by ophthalmodynamography in cerebral hemodynamic evaluation, 349-351
 - and ocular pulse amplitude, 350
 - systolic, determining, 351
- Ophthalmic artery pressure studies, 347
- Ophthalmic migraine, HCE and, 224, 226-227
- Ophthalmodynamography (ODG), 349-351

- Pacemaker
 - atrial synchronous, 364
 - ocular pulse and dysrhythmia and, 350
 - pervenous, in sick sinus syndrome, 209
 - shock and EEG slowing and, 363
- Pacing, right ventricular versus atrial, 6
- Palsy
 - Bell's, 20-21
 - hypoglossal, 243
- Passive tilt test in cerebral hemodynamic evaluation, 339-341, 342-346
- PET, *see* Positron emission tomography for rCBF
- Pinocytosis and cytotoxicity, 162, 163
- Plasma volume, 3
 - depletion of, 346
- Pons and cerebellum ischemia, 126-128

- Positron emission tomography (PET) for rCBF, 41-51
 ammonia ("NH₃) uptake, 43-44
 continuous C¹⁸O₂ inhalation, 44
⁶⁷Ga-EDTA (nondiffusible tracer), 46,47,48-51
 Krypton-77 (diffusible tracer), 44-48
- Positron-emitting isotopes, 36-37
- Posterior fossa ischemia, 125
- Posterior fossa pathology, central vestibular signs in, 291-299
- Prostaglandins, effects of, on brain blood (low, 213, 215
- PVA (proximal vertebral artery), 261-264
- Radionuclide cardiac studies, dynamic, 218
- rCBF, *see* Cerebral blood flow, regional
- Reading intolerance, HCE and, 231-233
- Red blood cell mass and viscosity, 3-4
- Regional cerebral blood flow, *see* Cerebral blood flow, regional
- Respiratory infections, upper, in HCE patients, 242
- Retinal embolism and HCE, 230-231
- Romberg test, extended, in cerebral hemodynamic evaluation, 338-339, 340
- Scuba diving and submarine medicine, 129
- Sharpness effect of magnification technique, 177, 179-181
- Shear stress injury to arterial walls, 167-173
- Sick sinus syndrome, APP in, 209-211
- Sinus arrest and nodal rhythm, 363
- Sleep
 brain metabolism and blood flow and, 305
 slow wave, and rCBF, 81
- Small-vessel anastomosis, 277
- Small-vessel disease and brain blood flow calculation, 70
- STA-MCA (superficial temporal-middle cerebral) bypass, brain hemodynamics and, 312, 316, 317
- Steal syndromes
 aggravated (surgical), 370-374, 375
 carotid-to-carotid, 13-14
 forebrain, *see* Forebrain steal
 hindbrain, *see* Hindbrain steal
 hindbrain-forebrain, 368
 interhemispheric, *see* Interhemispheric steal
 inverse, 35
 occipital lobe, 312, 317
 tourniquet Subclavian, 283-289
 vertebral-to-carotid, 14-15, 16-17
- Stellate ganglion and vertebral artery mobilization, 366-367
- Stokes-Adams syndrome, 5-6
- Subclavian artery blood flow, 287
- Subclavian artery stenosis, 286
- Subclavian steal, tourniquet, 283-289
- Subclavian steal test, tourniquet, 326, 327-328
- Subclavian-vertebral anastomosis (SCA-PVA), 262, 263
- Submarine medicine, 129
- Syncope
 posttraumatic, 328
 versus vertigo, 329
- Temporal lobe atrophy and vertebral artery obstruction, 124, 125
- Temporal lobe ischemia, 123-124, 125
- Thoracic outlet syndrome, 126, 127-128
- Thrombosis, vertebral artery, 274, 276
- Thrombus, aortic intimal, 172
- Tissue solubility and local CBF. Xe' and, 73-83
- Tomography. positron emission, *see* Positron emission tomography for rCBF
- Tonsillitis and HCE, 223-224, 225, 235, 237, 239
- Tourniquet release, cortical blindness following, 283-284
- Tourniquet Subclavian steal, 283-289
- Tourniquet Subclavian steal test, 326, 327-328
- Trigeminal neuralgia, 128, 132
- Tuberculous lymphadenitis and HCE, 235-237
- VA, *see* Vertebral artery(ies)
- Vagus nerve, carotid entrapment by, 231
- Valsalva maneuver in cerebral hemodynamic evaluation, 339
- Vascular bed(s)
 isolated (hypoplastic vertebral system), 15, 18
 overextended, 15, 18, 19
 vulnerable, II
- Vascular laboratory, EEG in, 325-334
- Vascularity and response to contrast media, 144
- VB. *see* Vertebral basilar *entries*
- VBS (vertebral basilar system), 117, 227; *see also* Hindbrain *entries*
- Ventricular pacing and hemodynamics of dysrhythmia, 342, 349, 350, 363
- Ventricular premature contractions (VPCs), 203, 205-208
- Vertebral artery(ies) (VA), 249-278
 anatomy of, 253-255
 angiogram, 319
 blood flow, 287
 -to-carotid steal, 14-15, 16-17
 clamping of, 367-368
 constriction of, 270, 271, 333
 corrosion casting of, 197-198
 dissecting aneurysm of, 271-272, 275, 276
 distal (DVA)
 bypass to, 267-269, 271, 272, 273
 failures of, 273, 274
 landmarks of, 268
 reconstruction of, 266-276

- division of, 254, 267
- EEG* in clamping of, 367-368
- embolism to, 275
- entrapment, 295-297
- as graft material, 268
- history of angiography of, 252-253
- intracranial (ICVA), 276-277
- kink, 332
- mid-, reconstruction of, 264-265
- mobilization, stellate ganglion and, 366-367
- obstruction, proximal, 125
- occlusion, 330
- proximal (PVA)
 - ligation of, 262
 - reconstruction of, 261-264
- steal, see Hindbrain steal
- stenosis, 122
- surgery, 249-278
 - anesthesia, *EEG*, and *ECG* monitoring, 260-261
 - atlas and axis, surgical fusion of, 276
 - contraindications to proximal, 263
 - history of, 250-252
 - internal shunts and vertebral artery ligation, 260
 - and long-term follow-up, *EEG* and, 331-333
 - perioperative *EEG* in, 375
 - positioning, 259-260
 - postoperative preparation, 260
 - selection of cases, 258-259
- system, 15, 18, 21-22
- thrombosis, 276
 - due to neck manipulation, 274
- trauma to, 274
- Vertebral basilar insufficiency, 138, 297, 298
- Vertebral basilar ischemia, 326
- Vertebral basilar symptoms with carotid
 - compression, 331
- Vertebral basilar system (VBS), 117; see also Hindbrain entries
 - intracranial, 277
- Vertebral foramina, CT scan of, 265
- Vertebral nerve, 254-255
- Vertebral subluxation and head rotation and vertebral artery occlusion, 330
- Vertebral veins, 254
- Vertigo
 - benign paroxysmal, 129
 - head hyperextension causing, 330
 - versus syncope, 329
- Vestibular decruitment
 - caloric testing for, 292-298
 - classification of, 294
- Viscosity, 3-4, 213
- Vision and posterior fossa pathology, 291-298
- Visual distortions, tourniquet release and, 283
- Visual effect in magnification radiography, 183
- Visual field defect and occipital lobe embolism, 5
- Visual problems with posterior cerebral artery, 20
- Vulnerable vascular beds
 - arteries of high resistance, 18-22
 - arteries of modified resistance, 22-23
 - collateral bed, 13-15, 16-17
 - isolated vascular bed, 15, 18
 - overextended vascular bed, 15, 18, 19
 - watershed area in, 11-23
- Xe' CT and local CBF and tissue solubility, 73-83
- ¹³³Xe measurement of rCBF, 31-38
 - inhalation or intravenous methods in, 34-36
 - intracarotid injection methods in, 32-34, 35
 - three-dimensional method in, 36, 37, 38
 - two-dimensional method in, 32-36
- Xenon, non-radioactive ("cold"), with CT scanning, 37
- Yield stress and endothelial injury, 168-169