

Anesthesiology Publications
1995-2002
Peer Reviewed Papers
By Date (most recent first)

1. Tan, F. and E.G. Erdös: Lysosomal Pro-X carboxypeptidase. In: Handbook of Proteolytic enzymes, 2nd ed. (Barrett, A.J., Rawlings, N.D., Woessner, J.F., eds.), Academic Press, London. In Press, 2002.
2. Erdös, E.G., H.L. Jackman, V. Brovkovich, F. Tan, P. A. Deddish: Products of angiotensin I hydrolysis by human cardiac enzymes potentiate bradykinin. Brief review. J. Mol. Cell. Cardiol. In Press, 2002.
3. Erdos EG. Kinins, the long march-A personal view. Cardiovasc Res 2002;54(3):485-91.
4. Jackman HL, Massad MG, Sekosan M, Tan F, Brovkovich V, Marcic BM, et al. Angiotensin 1-9 and 1-7 release in human heart: role of cathepsin A. Hypertension 2002;39(5):976-81.
5. Erdos B, Miller AW, Busija DW. Impaired endothelium-mediated relaxation in isolated cerebral arteries from insulin-resistant rats. Am J Physiol Heart Circ Physiol 2002;282(6):H2060-5.
6. Deddish PA, Marcic BM, Tan F, Jackman HL, Chen Z, Erdos EG. Neprilysin inhibitors potentiate effects of bradykinin on b2 receptor. Hypertension 2002;39(2 Pt 2):619-23.
7. Ignjatovic T, Tan F, Brovkovich V, Skidgel RA, Erdos EG. Novel mode of action of angiotensin I converting enzyme inhibitors: direct activation of bradykinin B1 receptor. J Biol Chem 2002;277(c19):16847-52.
8. Skidgel, R.A., Gao, X.-P., Brovkovich, V., Rahman, A., Jho, D., Predescu, S., Standiford, T.J., and Malik, A.B. Nitric oxide stimulates macrophage inflammatory protein-2 (MIP-2) expression in sepsis, *J. Immunol.*, in press 2002.
9. Skidgel, R.A. and Erdös, E.G.: Angiotensin I-converting enzyme and Neprilysin (Neutral Endopeptidase), in *Hypertension Primer, 3rd Edition: The Essentials of High Blood Pressure. Basic Science, Population Science and Clinical Management*, edited by J.L. Izzo and H.R. Black, Council on High Blood Pressure Research, American Heart Association, Lippincott Williams & Wilkins, Baltimore, in press, 2002.
10. Skidgel, R.A. Carboxypeptidase M, in *Handbook of Proteolytic Enzymes, 2nd Edition*, edited by A.J. Barrett, N.D. Rawlings and J.F. Woessner, Academic Press, London, in press, 2002.
11. Skidgel, R.A. and Erdös, E.G. Lysine carboxypeptidase, in *Handbook of Proteolytic Enzymes, 2nd Edition*, edited by A.J. Barrett, N.D. Rawlings and J.F. Woessner, Academic Press, London, in press, 2002.
12. Skidgel, R.A. Proliferation of regulatory mechanisms for eNOS: an emerging role for the cytoskeleton. *Am. J. Physiol. Lung Cell Mol. Physiol.* 282:L1179-L1182, 2002.
13. Ignjatovic, T., Tan, F., Brovkovich, V., Skidgel, R.A., and Erdös, E.G. Novel mode of action of angiotensin I converting enzyme inhibitors. Direct activation of bradykinin B1 receptor. *J. Biol. Chem.* 277:16847-16852, 2002.

14. Li, J., Rehli, M., Timblin, B., Tan, F., Krause, S.W., and Skidgel, R.A. Structure of the human carboxypeptidase M gene. Identification of a proximal GC-rich promoter and a unique distal promoter that consists of repetitive elements, *GENE*, 284:189-202, 2002.
15. Erdős, E.G.: Perspectives on the early history of angiotensin-converting enzyme – recent follow-ups. In: Giles, T.D., ed., *Angiotensin-Converting Enzyme(ACE):Clinical and Experimental Insights*, Fort Lee: Health Care Communications, Inc., pp. 3-16, 2001.
16. Spangenberg, H.C., Lee, H.-B., Li, J., Tan, F., Skidgel, R., Wands, J. R., and Tong, S. A short sequence within domain C of duck carboxypeptidase D is critical for duck hepatitis B viral binding and determines host specificity. *J. Virol*, 75:10630-10642, 2001.
17. Handcar, V. and Skidgel, R.A. Carboxypeptidase D is up-regulated in RAW 264.7 macrophages and stimulates nitric oxide synthesis by cells in arginine-free medium. *Mol. Pharmacol.*, 59 :1324-1332, 2001.
18. Xu HL, Galea E, Santizo RA, Baughman VL, Pelligrino DA. The key role of caveolin-1 in estrogen-mediated regulation of endothelial nitric oxide synthase function in cerebral arterioles in vivo. *J Cereb Blood Flow Metab* 2001; 21(8):907-913.
19. Hoffman WE, Edelman G, Ripper R, Koenig HM. Sodium nitroprusside compared with isoflurane-induced hypotension: the effects on brain oxygenation and arteriovenous shunting. *Anesth Analg* 2001; 93(1):166-170.
20. Gavrilyuk V, Horvath P, Weinberg G, Feinstein DL. A 27-bp region of the inducible nitric oxide synthase promoter regulates expression in glial cells. *J Neurochem* 2001; 78(1):129-140.
21. Danilov SM, Gavrilyuk VD, Franke FE, Pauls K, Harshaw DW, McDonald TD et al. Lung uptake of antibodies to endothelial antigens: key determinants of vascular immunotargeting. *Am J Physiol Lung Cell Mol Physiol* 2001; 280(6):L1335-L1347.
22. Pelligrino DA, Galea E. Estrogen and cerebrovascular physiology and pathophysiology. *Jpn J Pharmacol* 2001; 86(2):137-158.
23. Weinberg G, VadeBoncouer T. Improved energetics may explain the favorable effect of insulin infusion on bupivacaine cardiotoxicity. *Anesth Analg* 2001; 92(4):1075-1076.
24. McDonald T, Hoffman WE, Berkowitz R. Combining median electroencephalography frequency and sympathetic activity in an index to evaluate opioid detoxification in patients. *J Neurosurg Anesthesiol* 2001; 13(2):74-78.
25. Feinstein DL, Murphy P, Sharp A, Galea E, Gavrilyuk V, Weinberg G. Local anesthetics potentiate nitric oxide synthase type 2 expression in rat glial cells. *J Neurosurg Anesthesiol* 2001; 13(2):99-105.
26. Santizo RA, Koenig HM, Pelligrino DA. beta-Adrenoceptor and nNOS-derived NO interactions modulate hypoglycemic pial arteriolar dilation in rats. *Am J Physiol Heart Circ Physiol* 2001; 280(2):H562-H568.
27. Pirec V, Laurito CE, Lu Y, Yeomans DC. The combined effects of N-type calcium channel blockers and morphine on A delta versus C fiber mediated nociception. *Anesth Analg* 2001; 92(1):239-243.

28. Erdos EG, Marcic BM. Kinins, receptors, kininases and inhibitors--where did they lead us? *Biol Chem* 2001; 382(1):43-47.
29. Heneka MT, Sharp A, Murphy P, Lyons JA, Dumitrescu L, Feinstein DL. The heat shock response reduces myelin oligodendrocyte glycoprotein-induced experimental autoimmune encephalomyelitis in mice. *J Neurochem* 2001; 77(2):568-579.
30. Heneka MT, Feinstein DL. Expression and function of inducible nitric oxide synthase in neurons. *J Neuroimmunol* 2001; 114(1-2):8-18.
31. Heneka MT, Landreth GE, Feinstein DL. Role for peroxisome proliferator-activated receptor-gamma in Alzheimer's disease. *Ann Neurol* 2001; 49(2):276.
32. Crystal GJ, Zhou X, Alam S, Piotrowski A, Hu G. Lack of role for nitric oxide in cholinergic 281(1 modulation of myocardial contractility in vivo. *Am J Physiol Heart Circ Physiol* 2001;):H198-H206.
33. Klowden AJ, Salem MR, Crystal GJ. Eliminating blood transfusions: what about hypotensive anesthesia? *Anesthesiology* 2001; 94(3):542.
34. Nimmagadda U, Chiravuri SD, Salem MR, Joseph NJ, Wafai Y, Crystal GJ et al. Preoxygenation with tidal volume and deep breathing techniques: the impact of duration of breathing and fresh gas flow. *Anesth Analg* 2001; 92(5):1337-1341.
35. Koster A, Loebe M, Sodian R, Potapov EV, Hansen R, Muller J et al. Heparin antibodies and thromboembolism in heparin-coated and noncoated ventricular assist devices. *J Thorac Cardiovasc Surg* 2001; 121(2):331-335.
36. John TA, Vogel SM, Minshall RD, Ridge K, Tiruppathi C, Malik AB. Evidence for the role of alveolar epithelial gp60 in active transalveolar albumin transport in the rat lung. *J Physiol* 2001; 533(Pt 2):547-559.
37. Sandoval R, Malik AB, Minshall RD, Kouklis P, Ellis CA, Tiruppathi C. Ca(2+) signalling and PKCalpha activate increased endothelial permeability by disassembly of VE-cadherin junctions. *J Physiol* 2001; 533(Pt 2):433-445.
38. Usacheva A, Smith R, Minshall R, Baida G, Seng S, Croze E et al. The WD motif-containing protein receptor for activated protein kinase C (RACK1) is required for recruitment and activation of signal transducer and activator of transcription 1 through the type I interferon receptor. *J Biol Chem* 2001; 276(25):22948-22953.
39. Vogel SM, Easington CR, Minshall RD, Niles WD, Tiruppathi C, Hollenberg SM et al. Evidence of transcellular permeability pathway in microvessels. *Microvasc Res* 2001; 61(1):87-101.
40. Charbel FT, Du X, Hoffman WE, Ausman JI. Brain tissue PO(2), PCO(2), and pH during cerebral vasospasm. *Surg Neurol* 2000; 54(6):432-437.
41. Koenig HM, Edwards TL. Cisatracurium-induced neuromuscular blockade in anticonvulsant treated neurosurgical patients. *J Neurosurg Anesthesiol* 2000; 12(4):314-318.
42. Hoffman WE, Edelman G. Isoflurane increases brain oxygen reactivity in dogs. *Anesth Analg* 2000; 91(3):637-641.
43. Hoffman WE, Edelman G, Wheeler P. Cerebral oxygen reactivity in the dog. *Neurol Res* 2000; 22(6):620-622.

44. Edelman GJ, Hoffman WE, Rico C, Ripper R. Comparison of brain tissue and local cerebral venous gas tensions and pH. *Neurol Res* 2000; 22(6):642-644.
45. Santizo RA, Anderson S, Ye S, Koenig HM, Pelligrino DA. Effects of estrogen on leukocyte adhesion after transient forebrain ischemia. *Stroke* 2000; 31(9):2231-2235.
46. Weinberg GL. A versatile alternative to standard laryngoscopy. *Anesthesiology* 2000; 93(1):309-310.
47. Santizo R, Baughman VL, Pelligrino DA. Relative contributions from neuronal and endothelial nitric oxide synthases to regional cerebral blood flow changes during forebrain ischemia in rats. *Neuroreport* 2000; 11(7):1549-1553.
48. Balyasnikova IV, Pelligrino DA, Greenwood J, Adamson P, Dragon S, Raza H et al. Cyclic adenosine monophosphate regulates the expression of the intercellular adhesion molecule and the inducible nitric oxide synthase in brain endothelial cells. *J Cereb Blood Flow Metab* 2000; 20(4):688-699.
49. Hoffman WE, Edelman G. Enhancement of brain tissue oxygenation during high dose isoflurane anesthesia in the dog. *J Neurosurg Anesthesiol* 2000; 12(2):95-98.
50. Pelligrino DA, Ye S, Tan F, Santizo RA, Feinstein DL, Wang Q. Nitric-oxide-dependent pial arteriolar dilation in the female rat: effects of chronic estrogen depletion and repletion. *Biochem Biophys Res Commun* 2000; 269(1):165-171.
51. Hoffman WE, Wheeler P, Edelman G, Charbel FT, Torres NJ, Ausman JI. Hypoxic brain tissue following subarachnoid hemorrhage. *Anesthesiology* 2000; 92(2):442-446.
52. Weinberg GL, Palmer JW, VadeBoncouer TR, Zuechner MB, Edelman G, Hoppel CL. Bupivacaine inhibits acylcarnitine exchange in cardiac mitochondria. *Anesthesiology* 2000; 92(2):523-528.
53. McDonald T, Berkowitz R, Hoffman WE. Plasma naltrexone during opioid detoxification. *J Addict Dis* 2000; 19(4):59-64.
54. Minshall RD, Nedumgottil SJ, Igic R, Erdos EG, Rabito SF. Potentiation of the effects of bradykinin on its receptor in the isolated guinea pig ileum. *Peptides* 2000; 21(8):1257-1264.
55. Hecquet C, Tan F, Marcic BM, Erdos EG. Human bradykinin B(2) receptor is activated by kallikrein and other serine proteases. *Mol Pharmacol* 2000; 58(4):828-836.
56. Marcic, B., Deddish, P.A., Skidgel, R.A., Erdös, E.G., Minshall, R.D., and Tan, F. Replacement of the transmembrane anchor in angiotensin I-converting enzyme (ACE) with a glycosylphosphatidylinositol tail affects activation of the B2 bradykinin receptor by ACE inhibitors. *J. Biol. Chem.*, 275:16110-16118, 2000.
57. Marcic B, Deddish PA, Jackman HL, Erdos EG, Tan F. Effects of the N-terminal sequence of ACE on the properties of its C-domain. *Hypertension* 2000; 36(1):116-121.
58. Marcic BM, Erdos EG. Protein kinase C and phosphatase inhibitors block the ability of angiotensin I-converting enzyme inhibitors to resensitize the receptor to bradykinin without altering the primary effects of bradykinin. *J Pharmacol Exp Ther* 2000; 294(2):605-612.

59. Marcic B, Deddish PA, Skidgel RA, Erdos EG, Minshall RD, Tan F. Replacement of the transmembrane anchor in angiotensin I-converting enzyme (ACE) with a glycosylphosphatidylinositol tail affects activation of the B2 bradykinin receptor by ACE inhibitors. *J Biol Chem* 2000; 275(21):16110-16118.
60. Reynolds PN, Zinn KR, Gavrilyuk VD, Balyasnikova IV, Rogers BE, Buchsbaum DJ et al. A targetable, injectable adenoviral vector for selective gene delivery to pulmonary endothelium in vivo. *Mol Ther* 2000; 2(6):562-578.
61. Gould RM, Freund CM, Palmer F, Feinstein DL. Messenger RNAs located in myelin sheath assembly sites. *J Neurochem* 2000; 75(5):1834-1844.
62. Heneka MT, Klockgether T, Feinstein DL. Peroxisome proliferator-activated receptor-gamma ligands reduce neuronal inducible nitric oxide synthase expression and cell death in vivo. *J Neurosci* 2000; 20(18):6862-6867.
63. Stasiulek M, Gavrilyuk V, Sharp A, Horvath P, Selmaj K, Feinstein DL. Inhibitory and stimulatory effects of lactacystin on expression of nitric oxide synthase type 2 in brain glial cells. The role of Ikappa B-beta. *J Biol Chem* 2000; 275(32):24847-24856.
64. Heneka MT, Sharp A, Klockgether T, Gavrilyuk V, Feinstein DL. The heat shock response inhibits NF-kappaB activation, nitric oxide synthase type 2 expression, and macrophage/microglial activation in brain. *J Cereb Blood Flow Metab* 2000; 20(5):800-811.
65. Franke FE, Pauls K, Kerkman L, Steger K, Klonisch T, Metzger R et al. Somatic isoform of angiotensin I-converting enzyme in the pathology of testicular germ cell tumors. *Hum Pathol* 2000; 31(12):1466-1476.
66. Cooper RS, Guo X, Rotimi CN, Luke A, Ward R, Adeyemo A et al. Heritability of angiotensin-converting enzyme and angiotensinogen: A comparison of US blacks and Nigerians. *Hypertension* 2000; 35(5):1141-1147.
67. Metzger R, Bohle RM, Chumachenko P, Danilov SM, Franke FE. CD143 in the development of atherosclerosis. *Atherosclerosis* 2000; 150(1):21-31.
68. Crystal GJ, Zhou X, Gurevicius J, Czinn EA, Salem MR, Alam S et al. Direct coronary vasomotor effects of sevoflurane and desflurane in in situ canine hearts. *Anesthesiology* 2000; 92(4):1103-1113.
69. Koster A, Merkle F, Hansen R, Loebe M, Kuppe H, Hetzer R et al. Elimination of recombinant hirudin by modified ultrafiltration during simulated cardiopulmonary bypass: assessment of different filter systems. *Anesth Analg* 2000; 91(2):265-269.
70. Koster A, Crystal GJ, Kuppe H, Mertzlufft F. Acute heparin-induced thrombocytopenia type II during cardiopulmonary bypass. *J Cardiothorac Vasc Anesth* 2000; 14(3):300-303.
71. Koster A, Hansen R, Kuppe H, Hetzer R, Crystal GJ, Mertzlufft F. Recombinant hirudin as an alternative for anticoagulation during cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II: a 1-year experience in 57 patients. *J Cardiothorac Vasc Anesth* 2000; 14(3):243-248.
72. Ramez SM, Joseph NJ, Crystal GJ, Nimmagadda U, Benumof JL, Baraka A. Preoxygenation: comparison of maximal breathing and tidal volume techniques. *Anesthesiology* 2000; 92(6):1845-1847.

73. Mertzlufft F, Koster A, Hansen R, Risch A, Kuppe H, Kubel B et al. Reliability of the heparin management test for monitoring high levels of unfractionated heparin: in vitro findings in volunteers versus in vivo findings during cardiopulmonary bypass. *Anesthesiology* 2000; 92(6):1594-1602.
74. Mertzlufft F, Koster A, Steinhart H, Schenk JF, Crystal GJ. Fechtner's syndrome: considerations of anesthetic management. *Anesth Analg* 2000; 90(6):1372.
75. Koster A, Kuppe H, Crystal GJ, Mertzlufft F. Cardiovascular surgery without cardiopulmonary bypass in patients with heparin-induced thrombocytopenia type II using anticoagulation with recombinant hirudin. *Anesth Analg* 2000; 90(2):292-298.
76. Gao X, Kouklis P, Xu N, Minshall RD, Sandoval R, Vogel SM et al. Reversibility of increased microvessel permeability in response to VE-cadherin disassembly. *Am J Physiol Lung Cell Mol Physiol* 2000; 279(6):L1218-L1225.
77. Croze E, Usacheva A, Asarnow D, Minshall RD, Perez HD, Colamonici O. Receptor for activated C-kinase (RACK-1), a WD motif-containing protein, specifically associates with the human type I IFN receptor. *J Immunol* 2000; 165(9):5127-5132.
78. Minshall RD, Tirupathi C, Vogel SM, Niles WD, Gilchrist A, Hamm HE et al. Endothelial cell-surface gp60 activates vesicle formation and trafficking via G(i)-coupled Src kinase signaling pathway. *J Cell Biol* 2000; 150(5):1057-1070.
79. Xu N, Rahman A, Minshall RD, Tirupathi C, Malik AB. beta(2)-Integrin blockade driven by E-selectin promoter prevents neutrophil sequestration and lung injury in mice. *Circ Res* 2000; 87(3):254-260.
80. Charbel FT, Gonzales-Portillo G, Hoffman WE, Ostergren LA, Misra M. Quantitative assessment of vessel flow integrity for aneurysm surgery. Technical note. *J Neurosurg* 1999; 91(6):1050-1054.
81. Pelligrino DA, Santizo RA, Wang Q. Miconazole represses CO(2)-induced pial arteriolar dilation only under selected circumstances. *Am J Physiol* 1999; 277(4 Pt 2):H1484-H1490.
82. Santizo R, Pelligrino DA. Estrogen reduces leukocyte adhesion in the cerebral circulation of female rats. *J Cereb Blood Flow Metab* 1999; 19(10):1061-1065.
83. McDonald T, Berkowitz R, Hoffman WE. Median EEG frequency is more sensitive to increases in sympathetic activity than bispectral index. *J Neurosurg Anesthesiol* 1999; 11(4):255-259.
84. Segarra G, Medina P, Ballester RM, Lluch P, Aldasoro M, Vila JM et al. Effects of some guanidino compounds on human cerebral arteries. *Stroke* 1999; 30(10):2206-2210.
85. Edelman G, Hoffman WE. Cerebral venous and tissue gases and arteriovenous shunting in the dog. *Anesth Analg* 1999; 89(3):679-683.
86. Kovac AL, O'Connor TA, Pearman MH, Kekoler LJ, Edmondson D, Baughman VL et al. Efficacy of repeat intravenous dosing of ondansetron in controlling postoperative nausea and vomiting: a randomized, double-blind, placebo-controlled multicenter trial. *J Clin Anesth* 1999; 11(6):453-459.
87. McDonald T, Hoffman WE, Berkowitz R, Cunningham F, Cooke B. Heart rate variability and plasma catecholamines in patients during opioid detoxification. *J Neurosurg Anesthesiol* 1999; 11(3):195-199.

88. Hoffman WE, Charbel FT, Gonzalez-Portillo G, Ausman JI. Measurement of ischemia by changes in tissue oxygen, carbon dioxide, and pH. *Surg Neurol* 1999; 51(6):654-658.
89. Koenig HM, Hoffman WE. The effect of anticonvulsant therapy on two doses of rocuronium-induced neuromuscular blockade. *J Neurosurg Anesthesiol* 1999; 11(2):86-89.
90. Gidday JM, Shah AR, Maceren RG, Wang Q, Pelligrino DA, Holtzman DM et al. Nitric oxide mediates cerebral ischemic tolerance in a neonatal rat model of hypoxic preconditioning. *J Cereb Blood Flow Metab* 1999; 19(3):331-340.
91. Zsigmond EK, Darby P, Koenig HM, Goll EF. Painless intravenous catheterization by intradermal jet injection of lidocaine: a randomized trial. *J Clin Anesth* 1999; 11(2):87-94.
92. Wang Q, Santizo R, Baughman VL, Pelligrino DA, Iadecola C. Estrogen provides neuroprotection in transient forebrain ischemia through perfusion-independent mechanisms in rats. *Stroke* 1999; 30(3):630-637.
93. Wang Q, Bryowsky J, Minshall RD, Pelligrino DA. Possible obligatory functions of cyclic nucleotides in hypercapnia-induced cerebral vasodilation in adult rats. *Am J Physiol* 1999; 276(2 Pt 2):H480-H487.
94. Zsigmond EK, Darby P, Koenig HM, Goll E. V. A new route, jet injection of lidocaine for skin wheal for painless intravenous catheterization. *Int J Clin Pharmacol Ther* 1999; 37(2):90-99.
95. Charbel FT, Hoffman WE, Misra M, Nabhani T, Ausman JI. What does measurement of brain tissue pO₂, pCO₂ & pH add to neuromonitoring? *Acta Neurochir Suppl (Wien)* 1999; 75:41-43.
96. Michalewicz P, Laurito CE, Pappas GD, Lu Y, Yeomans DC. Purification of adrenal chromaffin cells increases antinociceptive efficacy of xenotransplants without immunosuppression. *Cell Transplant* 1999; 8(1):103-109.
97. Wang Q, Cwik M, Wright CJ, Cunningham F, Pelligrino DA. The in vivo unidirectional conversion of nitro-D-arginine to nitro-L-arginine. *J Pharmacol Exp Ther* 1999; 288(1):270-273.
98. Erdos EG, Deddish PA, Marcic BM. Potentiation of Bradykinin Actions by ACE Inhibitors. *Trends Endocrinol Metab* 1999; 10(6):223-229.
99. Marcic B, Deddish PA, Jackman HL, Erdos EG. Enhancement of bradykinin and resensitization of its B₂ receptor. *Hypertension* 1999; 33(3):835-843.
100. Heneka MT, Feinstein DL, Galea E, Gleichmann M, Wullner U, Klockgether T. Peroxisome proliferator-activated receptor gamma agonists protect cerebellar granule cells from cytokine-induced apoptotic cell death by inhibition of inducible nitric oxide synthase. *J Neuroimmunol* 1999; 100(1-2):156-168.
101. Galea E, Feinstein DL. Regulation of the expression of the inflammatory nitric oxide synthase (NOS₂) by cyclic AMP. *FASEB J* 1999; 13(15):2125-2137.
102. Gould R, Freund C, Palmer F, Knapp PE, Huang J, Morrison H et al. Messenger RNAs for kinesins and dynein are located in neural processes. *Biol Bull* 1999; 197(2):259-260.

103. Li XY, Skidgel RA. Release of glycosylphosphatidylinositol-anchored carboxypeptidase M by phosphatidylinositol-specific phospholipase C upregulates enzyme synthesis. *Biochem Biophys Res Commun* 1999;258(1):204-10.
104. Blais C, Jr., Marc-Aurele J, Simmons WH, Loute G, Thibault P, Skidgel RA, et al. Des-Arg9-bradykinin metabolism in patients who presented hypersensitivity reactions during hemodialysis: role of serum ACE and aminopeptidase P. *Peptides* 1999;20(4):421-30.
105. McGwire GB, Becker RP, Skidgel RA. Carboxypeptidase M, a glycosylphosphatidylinositol-anchored protein, is localized on both the apical and basolateral domains of polarized Madin-Darby canine kidney cells. *J Biol Chem* 1999;274(44):31632-40.
106. Regunathan S, Feinstein DL, Reis DJ. Anti-proliferative and anti-inflammatory actions of imidazoline agents. Are imidazoline receptors involved? *Ann N Y Acad Sci* 1999; 881:410-419.
107. Feinstein DL, Reis DJ, Regunathan S. Inhibition of astroglial nitric oxide synthase type 2 expression by idazoxan. *Mol Pharmacol* 1999; 55(2):304-308.
108. Metzger R, Bohle RM, Pauls K, Eichner G, Alhenc-Gelas F, Danilov SM et al. Angiotensin-converting enzyme in non-neoplastic kidney diseases. *Kidney Int* 1999; 56(4):1442-1454.
109. Crystal GJ, Zhou X. Nitric oxide does not modulate the increases in blood flow, O₂ consumption, or contractility during CaCl₂ administration in canine hearts. *Cardiovasc Res* 1999; 42(1):232-239.
110. Crystal GJ, Zhou X, Halim AA, Alam S, El Orbany M, Salem MR. Nitric oxide does not modulate whole body oxygen consumption in anesthetized dogs. *J Appl Physiol* 1999; 86(6):1944-1949.
111. Sato T, Hirota K, Matsuki A, Zsigmond EK, Rabito SF. The role of the N-methyl-D-aspartic acid receptor in the relaxant effect of ketamine on tracheal smooth muscle. *Anesth Analg* 1998; 87(6):1383-1388.
112. Hoffman WE, Charbel FT, Edelman G, Ausman JI. Thiopental and desflurane treatment for brain protection. *Neurosurgery* 1998; 43(5):1050-1053.
113. Pelligrino DA, Santizo R, Baughman VL, Wang Q. Cerebral vasodilating capacity during forebrain ischemia: effects of chronic estrogen depletion and repletion and the role of neuronal nitric oxide synthase. *Neuroreport* 1998; 9(14):3285-3291.
114. Hoffman WE, McDonald T, Berkowitz R. Simultaneous increases in respiration and sympathetic function during opiate detoxification. *J Neurosurg Anesthesiol* 1998; 10(4):205-210.
115. Pelligrino DA, Wang Q. Cyclic nucleotide crosstalk and the regulation of cerebral vasodilation. *Prog Neurobiol* 1998; 56(1):1-18.
116. Laurito CE. The Society for Office-Based Anesthesia, Orlando, Florida, March 7, 1998. *J Clin Anesth* 1998; 10(6):445-448.
117. Hoffman WE, Berkowitz R, McDonald T, Hass F. Ultra-rapid opioid detoxification increases spontaneous ventilation. *J Clin Anesth* 1998; 10(5):372-376.

118. Sato T, Hirota K, Matsuki A, Zsigmond EK, Rabito SF. Ketamine inhibits the tonic response to carbachol and histamine in the guinea pig trachea. *Eur J Anaesthesiol* 1998; 15(4):486-492.
119. Albrecht RF, Wass CT, Lanier WL. Occurrence of potentially detrimental temperature alterations in hospitalized patients at risk for brain injury. *Mayo Clin Proc* 1998; 73(7):629-635.
120. Charbel FT, Hoffman WE, Misra M, Ostergren L. Ultrasonic perivascular flow probe: technique and application in neurosurgery. *Neurol Res* 1998; 20(5):439-442.
121. Wang Q, Bryan RM, Jr., Pelligrino DA. Calcium-dependent and ATP-sensitive potassium channels and the 'permissive' function of cyclic GMP in hypercapnia-induced pial arteriolar relaxation. *Brain Res* 1998; 793(1-2):187-196.
122. Hoffman WE, Charbel FT, Edelman G, Misra M, Ausman JI. Comparison of the effect of etomidate and desflurane on brain tissue gases and pH during prolonged middle cerebral artery occlusion. *Anesthesiology* 1998; 88(5):1188-1194.
123. Weinberg GL, VadeBoncouer T, Ramaraju GA, Garcia-Amaro MF, Cwik MJ. Pretreatment or resuscitation with a lipid infusion shifts the dose-response to bupivacaine-induced asystole in rats. *Anesthesiology* 1998; 88(4):1071-1075.
124. Laurito CE, Chen WX. Biological dyes may improve the safety of local anesthetics. *J Clin Anesth* 1998; 10(2):176-177.
125. VadeBoncouer TR, Riegler FX. In defense of the nerve stimulator. *Reg Anesth Pain Med* 1998; 23(2):229-230.
126. Charbel FT, Hoffman WE, Misra M, Hannigan K, Ausman JI. Role of a perivascular ultrasonic micro-flow probe in aneurysm surgery. *Neurol Med Chir (Tokyo)* 1998; 38 Suppl:35-38.
127. Charbel FT, Hoffman WE, Misra M, Ausman JI. Increased brain tissue oxygenation during arteriovenous malformation resection. *Neurol Med Chir (Tokyo)* 1998; 38 Suppl:171-176.
128. Hoffman WE, Charbel FT, Portillo GG, Edelman G, Ausman JI. Regional tissue pO₂, pCO₂, pH and temperature measurement. *Neurol Res* 1998; 20 Suppl 1:S81-S84.
129. Hoffman WE, Charbel FT, Munoz L, Ausman JI. Comparison of brain tissue metabolic changes during ischemia at 35 degrees and 18 degrees C. *Surg Neurol* 1998; 49(1):85-88.
130. Skidgel RA, Erdos EG. Cellular carboxypeptidases. *Immunol Rev* 1998; 161:129-141.
131. Deddish PA, Marcic B, Jackman HL, Wang HZ, Skidgel RA, Erdos EG. N-domain-specific substrate and C-domain inhibitors of angiotensin-converting enzyme: angiotensin-(1-7) and keto-ACE. *Hypertension* 1998; 31(4):912-917.
132. Riley DA, Tan F, Miletich DJ, Skidgel RA. Chromosomal localization of the genes for human carboxypeptidase D (CPD) and the active 50-kilodalton subunit of human carboxypeptidase N (CPN1). *Genomics* 1998; 50(1):105-108.
133. Galea E, Glickstein SB, Feinstein DL, Golanov EV, Reis DJ. Stimulation of cerebellar fastigial nucleus inhibits interleukin-1beta-induced cerebrovascular inflammation. *Am J Physiol* 1998; 275(6 Pt 2):H2053-H2063.

134. Feinstein DL. Potentiation of astroglial nitric oxide synthase type-2 expression by lithium chloride. *J Neurochem* 1998; 71(2):883-886.
135. Galea E, Golanov EV, Feinstein DL, Kobylarz KA, Glickstein SB, Reis DJ. Cerebellar stimulation reduces inducible nitric oxide synthase expression and protects brain from ischemia. *Am J Physiol* 1998; 274(6 Pt 2):H2035-H2045.
136. Feinstein DL. Suppression of astroglial nitric oxide synthase expression by norepinephrine results from decreased NOS-2 promoter activity. *J Neurochem* 1998; 70(4):1484-1496.
137. Sastre M, Galea E, Feinstein D, Reis DJ, Regunathan S. Metabolism of agmatine in macrophages: modulation by lipopolysaccharide and inhibitory cytokines. *Biochem J* 1998; 330 (Pt 3):1405-1409.
138. Atochina EN, Balyasnikova IV, Danilov SM, Granger DN, Fisher AB, Muzykantov VR. Immunotargeting of catalase to ACE or ICAM-1 protects perfused rat lungs against oxidative stress. *Am J Physiol* 1998; 275(4 Pt 1):L806-L817.
139. Balyasnikova IV, Danilov SM, Muzykantov VR, Fisher AB. Modulation of angiotensin-converting enzyme in cultured human vascular endothelial cells. *In Vitro Cell Dev Biol Anim* 1998; 34(7):545-554.
140. Crystal GJ, Zhou X, Gurevicius J, Ramez SM. Influence of nitric oxide on vascular, metabolic, and contractile responses to dobutamine in in situ canine hearts. *Anesth Analg* 1998; 87(5):994-1001.
141. Koster A, Kuppe H, Hetzer R, Sodian R, Crystal GJ, Mertzlufft F. Emergent cardiopulmonary bypass in five patients with heparin-induced thrombocytopenia type II employing recombinant hirudin. *Anesthesiology* 1998; 89(3):777-780.
142. Zhou X, Abboud W, Manabat NC, Salem MR, Crystal GJ. Isoflurane-induced dilation of porcine coronary arterioles is mediated by ATP-sensitive potassium channels. *Anesthesiology* 1998; 89(1):182-189.
143. Crystal GJ, Zhou X, Salem MR. Is calcium a coronary vasoconstrictor in vivo? *Anesthesiology* 1998; 88(3):735-743.
144. Minshall RD, Miyagawa K, Chadwick CC, Novy MJ, Hermsmeyer K. In vitro modulation of primate coronary vascular muscle cell reactivity by ovarian steroid hormones. *FASEB J* 1998; 12(13):1419-1429.
145. Minshall RD, Stanczyk FZ, Miyagawa K, Uchida B, Axthelm M, Novy M et al. Ovarian steroid protection against coronary artery hyperreactivity in rhesus monkeys. *J Clin Endocrinol Metab* 1998; 83(2):649-659.
146. Weinberg GL, Laurito CE, Geldner P, Pygon BH, Burton BK. Malignant ventricular dysrhythmias in a patient with isovaleric acidemia receiving general and local anesthesia for suction lipectomy. *J Clin Anesth* 1997; 9(8):668-670.
147. Domino EF, Zsigmond EK, Kovacs V, Fekete G, Stetson P. A new route, jet injection for anesthetic induction in children--III. Ketamine pharmacokinetic studies. *Int J Clin Pharmacol Ther* 1997; 35(11):527-530.
148. Hoffman WE, Charbel FT, Edelman G. Desflurane increases brain tissue oxygenation and pH. *Acta Anaesthesiol Scand* 1997; 41(9):1162-1166.

149. Edelman GJ, Hoffman WE, Charbel FT. Cerebral hypoxia after etomidate administration and temporary cerebral artery occlusion. *Anesth Analg* 1997; 85(4):821-825.
150. Charbel FT, Hoffman WE, Misra M, Hannigan K, Ausman JI. Cerebral interstitial tissue oxygen tension, pH, HCO₃, CO₂. *Surg Neurol* 1997; 48(4):414-417.
151. Jhaveri R, Joshi P, Batenhorst R, Baughman V, Glass PS. Dose comparison of remifentanyl and alfentanil for loss of consciousness. *Anesthesiology* 1997; 87(2):253-259.
152. Navarro RM, Baughman VL. Lidocaine in the endotracheal tube cuff reduces postoperative sore throat. *J Clin Anesth* 1997; 9(5):394-397.
153. Jiha JG, Laurito CE, Rosenquist RW. Subclavian vein compression and thrombosis presenting as upper extremity pain. *Anesth Analg* 1997; 85(1):225-226.
154. Berkowitz RA, McDonald TB. Post-operative pain management. *Indian J Pediatr* 1997; 64(3):351-367.
155. Hoffman WE, Charbel FT, Abood C, Ausman JI. Regional ischemia during cerebral bypass surgery. *Surg Neurol* 1997; 47(5):455-459.
156. Miletich DJ, Minshall RD, Albrecht RF. The influence of chronic hypokalemia on myocardial adrenergic receptor densities: enhanced sensitivity to epinephrine-induced arrhythmias. *Anesth Analg* 1997; 84(4):734-739.
157. Sato T, Matsuki A, Zsigmond EK, Rabito SF. Ketamine relaxes airway smooth muscle contracted by endothelin. *Anesth Analg* 1997; 84(4):900-906.
158. Hoke JF, Cunningham F, James MK, Muir KT, Hoffman WE. Comparative pharmacokinetics and pharmacodynamics of remifentanyl, its principle metabolite (GR90291) and alfentanil in dogs. *J Pharmacol Exp Ther* 1997; 281(1):226-232.
159. Sato T, Hirota K, Matsuki A, Zsigmond EK, Rabito SF. The relaxant effect of ketamine on guinea pig airway smooth muscle is epithelium-independent. *Anesth Analg* 1997; 84(3):641-647.
160. Hoffman WE, Charbel FT, Edelman G, Ausman JI. Brain tissue oxygenation in patients with cerebral occlusive disease and arteriovenous malformations. *Br J Anaesth* 1997; 78(2):169-171.
161. Hoffman WE, Charbel FT, Ausman JI. Cerebral blood flow and metabolic response to etomidate and ischemia. *Neurol Res* 1997; 19(1):41-44.
162. Hoffman WE, Charbel FT, Edelman G, Ausman JI. Brain tissue gases and pH during arteriovenous malformation resection. *Neurosurgery* 1997; 40(2):294-300.
163. Whiteley MH, Laurito CE. Neurologic symptoms after accidental administration of epidural glucose. *Anesth Analg* 1997; 84(1):216-217.
164. Dragovic T, Sekosan M, Becker RP, Erdos EG. Detection of neutral endopeptidase 24.11 (neprilysin) in human hepatocellular carcinomas by immunocytochemistry. *Anticancer Res* 1997; 17(5A):3233-3238.
165. Minshall RD, Tan F, Nakamura F, Rabito SF, Becker RP, Marcic B et al. Potentiation of the actions of bradykinin by angiotensin I-converting enzyme inhibitors. The role of expressed

- human bradykinin B2 receptors and angiotensin I-converting enzyme in CHO cells. *Circ Res* 1997; 81(5):848-856.
166. Minshall RD, Erdos EG, Vogel SM. Angiotensin I-converting enzyme inhibitors potentiate bradykinin's inotropic effects independently of blocking its inactivation. *Am J Cardiol* 1997; 80(3A):132A-136A.
167. Deddish PA, Jackman HL, Skidgel RA, Erdos EG. Differences in the hydrolysis of enkephalin congeners by the two domains of angiotensin converting enzyme. *Biochem Pharmacol* 1997; 53(10):1459-1463.
168. Feinstein DL, Galea E, Reis DJ. Suppression of glial nitric oxide synthase induction by heat shock: effects on proteolytic degradation of I κ B α . *Nitric Oxide* 1997; 1(2):167-176.
169. Reis DJ, Golanov EV, Galea E, Feinstein DL. Central neurogenic neuroprotection: central neural systems that protect the brain from hypoxia and ischemia. *Ann N Y Acad Sci* 1997; 835:168-186.
170. Militante JD, Feinstein DL, Syapin PJ. Suppression by ethanol of inducible nitric oxide synthase expression in C6 glioma cells. *J Pharmacol Exp Ther* 1997; 281(1):558-565.
171. Feinstein DL, Rozelman E. Norepinephrine suppresses L-arginine uptake in rat glial cells. *Neurosci Lett* 1997; 223(1):37-40.
172. Atochina EN, Muzykantov VR, Al Mehdi AB, Danilov SM, Fisher AB. Normoxic lung ischemia/reperfusion accelerates shedding of angiotensin converting enzyme from the pulmonary endothelium. *Am J Respir Crit Care Med* 1997; 156(4 Pt 1):1114-1119.
173. Sturrock ED, Danilov SM, Riordan JF. Limited proteolysis of human kidney angiotensin-converting enzyme and generation of catalytically active N- and C-terminal domains. *Biochem Biophys Res Commun* 1997; 236(1):16-19.
174. Morrell NW, Danilov SM, Satyan KB, Morris KG, Stenmark KR. Right ventricular angiotensin converting enzyme activity and expression is increased during hypoxic pulmonary hypertension. *Cardiovasc Res* 1997; 34(2):393-403.
175. Crystal GJ, Gurevicius J, Salem MR, Zhou X. Role of adenosine triphosphate-sensitive potassium channels in coronary vasodilation by halothane, isoflurane, and enflurane. *Anesthesiology* 1997; 86(2):448-458.
176. Hermsmeyer K, Mishra S, Miyagawa K, Minshall R. Physiologic and pathophysiologic relevance of T-type calcium-ion channels: potential indications for T-type calcium antagonists. *Clin Ther* 1997; 19 Suppl A:18-26.
177. Minshall RD, Vogel SM, Rabito SF. Are the inotropic and antiarrhythmic effects of bradykinin due to increases in coronary flow? *Am J Cardiol* 1997; 80(3A):148A-152A.
178. Pelligrino DA, Laurito CE, VadeBoncouer TR. Nitric oxide synthase inhibition modulates the ventilatory depressant and antinociceptive actions of fourth ventricular infusions of morphine in the awake dog. *Anesthesiology* 1996; 85(6):1367-1377.
179. Hoffman WE, Charbel FT, Edelman G, Abood C. Brain tissue response to CO₂ in patients with arteriovenous malformation. *J Cereb Blood Flow Metab* 1996; 16(6):1383-1386.

180. Pelligrino DA, Gay RL, III, Baughman VL, Wang Q. NO synthase inhibition modulates NMDA-induced changes in cerebral blood flow and EEG activity. *Am J Physiol* 1996; 271(3 Pt 2):H990-H995.
181. Choi A, Laurito CE, Cunningham FE. Pharmacologic management of postdural puncture headache. *Ann Pharmacother* 1996; 30(7-8):831-839.
182. Berkowitz RA, Hoffman WE, Cunningham F, McDonald T. Changes in cerebral blood flow velocity in children during sevoflurane and halothane anesthesia. *J Neurosurg Anesthesiol* 1996; 8(3):194-198.
183. Alexander AN, Constable PD, Meier WA, French RA, Morin DE, Lowry JE et al. Clinical and immunohistochemical characterization of thymic lymphosarcoma in a heifer. *J Vet Intern Med* 1996; 10(4):275-278.
184. Hoffman WE, Charbel FT, Edelman G, Ausman JI. Brain tissue oxygen pressure, carbon dioxide pressure, and pH during hypothermic circulatory arrest. *Surg Neurol* 1996; 46(1):75-79.
185. Lawler DF, Keltner DG, Hoffman WE, Nachreiner RF, Hegstad RL, Herndon PA et al. Benign familial hyperphosphatasemia in Siberian huskies. *Am J Vet Res* 1996; 57(5):612-617.
186. Hoffman WE, Thomas C. Effects of graded hypothermia on outcome from brain ischemia. *Neurol Res* 1996; 18(2):185-189.
187. Hoffman WE, Charbel FT, Edelman G. Brain tissue oxygen, carbon dioxide, and pH in neurosurgical patients at risk for ischemia. *Anesth Analg* 1996; 82(3):582-586.
188. Jiha JG, Weinberg GL, Laurito CE. Intraoperative cardiac tamponade after central venous cannulation. *Anesth Analg* 1996; 82(3):664-665.
189. Lanier WL, Albrecht RF, Laizzo PA. Divergence of intracranial and central venous pressures in lightly anesthetized, tracheally intubated dogs that move in response to a noxious stimulus. *Anesthesiology* 1996; 84(3):605-613.
190. Hirota K, Sato T, Rabito SF, Zsigmond EK, Matsuki A. Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle. *Br J Anaesth* 1996; 76(2):266-270.
191. Sato T, Hirota K, Matsuki A, Zsigmond EK, Rabito SF. Droperidol inhibits tracheal contraction induced by serotonin, histamine or carbachol in guinea pigs. *Can J Anaesth* 1996; 43(2):172-178.
192. Zsigmond EK, Kovacs V, Fekete G. A new route, jet-injection for anesthetic induction in children - II. ketamine dose-range finding studies. *Int J Clin Pharmacol Ther* 1996; 34(2):84-88.
193. Hoffman WE, Charbel FT, Edelman G, Hannigan K, Ausman JI. Brain tissue oxygen pressure, carbon dioxide pressure and pH during ischemia. *Neurol Res* 1996; 18(1):54-56.
194. Pelligrino DA, Baughman VL, Koenig HM. Nitric oxide and the brain. *Int Anesthesiol Clin* 1996; 34(4):113-132.
195. Hoffman WE, Zsigmond E, Albrecht RF. The bispectral index during induction of anesthesia with midazolam and propofol. *J Neurosurg Anesthesiol* 1996; 8(1):15-20.

196. Deddish PA, Wang LX, Jackman HL, Michel B, Wang J, Skidgel RA et al. Single-domain angiotensin I converting enzyme (kininase II): characterization and properties. *J Pharmacol Exp Ther* 1996; 279(3):1582-1589.
197. Michel B, Igic R, Leray V, Deddish PA, Erdos EG. Removal of Arg141 from the alpha chain of human hemoglobin by carboxypeptidases N and M. *Circ Res* 1996; 78(4):635-642.
198. Erdos EG. News about ACE, or, the separate lives of "Siamese twin" domains. *J Clin Invest* 1996; 97(3):588.
199. Dragovic T, Minshall R, Jackman HL, Wang LX, Erdos EG. Kininase II-type enzymes. Their putative role in muscle energy metabolism. *Diabetes* 1996; 45 Suppl 1:S34-S37.
200. Covert RF, Schreiber MD, Torgerson LJ, Torgerson RW, Miletich DJ. Prediction of cerebral blood flow in fetal lambs by carotid artery ultrasonic flow transducer. *Reprod Fertil Dev* 1996; 8(1):157-162.
201. Feinstein DL, Galea E, Aquino DA, Li GC, Xu H, Reis DJ. Heat shock protein 70 suppresses astroglial-inducible nitric-oxide synthase expression by decreasing NFkappaB activation. *J Biol Chem* 1996; 271(30):17724-17732.
202. Galea E, Regunathan S, Eliopoulos V, Feinstein DL, Reis DJ. Inhibition of mammalian nitric oxide synthases by agmatine, an endogenous polyamine formed by decarboxylation of arginine. *Biochem J* 1996; 316 (Pt 1):247-249.
203. Galea E, Reis DJ, Fox ES, Xu H, Feinstein DL. CD14 mediate endotoxin induction of nitric oxide synthase in cultured brain glial cells. *J Neuroimmunol* 1996; 64(1):19-28.
204. Muzykantov VR, Barnathan ES, Atochina EN, Kuo A, Danilov SM, Fisher AB. Targeting of antibody-conjugated plasminogen activators to the pulmonary vasculature. *J Pharmacol Exp Ther* 1996; 279(2):1026-1034.
205. Morrell NW, Grieshaber SS, Danilov SM, Majack RA, Stenmark KR. Developmental regulation of angiotensin converting enzyme and angiotensin type 1 receptor in the rat pulmonary circulation. *Am J Respir Cell Mol Biol* 1996; 14(6):526-537.
206. Muzykantov VR, Atochina EN, Ischiropoulos H, Danilov SM, Fisher AB. Immunotargeting of antioxidant enzyme to the pulmonary endothelium. *Proc Natl Acad Sci U S A* 1996; 93(11):5213-5218.
207. Crystal GJ, Salem MR. Investigations into the mechanisms of coronary vasodilation by contrast media in dogs. *Invest Radiol* 1996; 31(9):556-562.
208. Gurevicius J, Holmes CB, Salem MR, Abdel-Halim A, Crystal GJ. The direct effects of enflurane on coronary blood flow, myocardial oxygen consumption, and myocardial segmental shortening in in situ canine hearts. *Anesth Analg* 1996; 83(1):68-74.
209. D, NCrystal GJ. Vasomotor effects of isoflurane in the coronary circulation. *Anesthesiology* 1996; 84(6):1516-1518.
210. Crystal GJ, Gurevicius J. Nitric oxide does not modulate myocardial contractility acutely in in situ canine hearts. *Am J Physiol* 1996; 270(5 Pt 2):H1568-H1576.
211. Crystal GJ, Gurevicius J, Salem MR. Isoflurane-induced coronary vasodilation is preserved in reperfused myocardium. *Anesth Analg* 1996; 82(1):22-28.

212. Nakamura F, Minshall RD, Le Breton GC, Rabito SF. Thromboxane A2 mediates the stimulation of inositol 1,4,5-trisphosphate production and intracellular calcium mobilization by bradykinin in neonatal rat ventricular cardiomyocytes. *Hypertension* 1996; 28(3):444-449.
213. Rabito SF, Minshall Rakamura F, Wang LX. Bradykinin B2 receptors on skeletal muscle are coupled to inositol 1,4,5-trisphosphate formation. *Diabetes* 1996; 45 Suppl 1:S29-S33.
214. Pelligrino DA, Wang Q, Koenig HM, Albrecht RF. Role of nitric oxide, adenosine, N-methyl-D-aspartate receptors, and neuronal activation in hypoxia-induced pial arteriolar dilation in rats. *Brain Res* 1995; 704(1):61-70.
215. Werner C, Hoffman WE, Kochs E, Albrecht RF, Schulte am EJ. Transcranial Doppler sonography indicates critical brain perfusion during hemorrhagic hypotension in dogs. *Anesth Analg* 1995; 81(6):1203-1207.
216. Hoffman WE, Charbel FT, Edelman G, Ausman JI. Brain tissue acid-base response to hypercapnia in neurosurgical patients. *Neurol Res* 1995; 17(6):417-420.
217. Vogel SM, Weinberg GL, Djokovic A, Miletich DJ, Albrecht RF. Analysis of halothane effects on myocardial force-interval relationships at anesthetic concentrations depressing twitches but not tetanic contractions. *Anesthesiology* 1995; 83(5):1055-1064.
218. Hoffman WE, Edelman G. Comparison of isoflurane and desflurane anesthetic depth using burst suppression of the electroencephalogram in neurosurgical patients. *Anesth Analg* 1995; 81(4):811-816.
219. Werner C, Kochs E, Bause H, Hoffman WE, Schulte am EJ. Effects of sufentanil on cerebral hemodynamics and intracranial pressure in patients with brain injury. *Anesthesiology* 1995; 83(4):721-726.
220. Zsigmond EK, Kovacs V, Fekete G. A new route, jet-injection for anesthetic induction in children: I. Midazolam dose-range finding studies. *Int J Clin Pharmacol Ther* 1995; 33(10):580-584.
221. Wang Q, Pelligrino DA, Baughman VL, Koenig HM, Albrecht RF. The role of neuronal nitric oxide synthase in regulation of cerebral blood flow in normocapnia and hypercapnia in rats. *J Cereb Blood Flow Metab* 1995; 15(5):774-778.
222. Hirota K, Zsigmond EK, Matsuki A, Rabito SF. Ketamine inhibits contractile responses of intestinal smooth muscle by decreasing the influx of calcium through the L-type calcium channel. *Acta Anaesthesiol Scand* 1995; 39(6):759-764.
223. Dragovic T, Schraufnagel DE, Becker RP, Sekosan M, Votta-Velis EG, Erdos EG. Carboxypeptidase M activity is increased in bronchoalveolar lavage in human lung disease. *Am J Respir Crit Care Med* 1995; 152(2):760-764.
224. Albrecht RF, Wagner SR, Leicht CH, Lanier WL. Factitious disorder as a cause of failure to awaken after general anesthesia. *Anesthesiology* 1995; 83(1):201-204.
225. Theard MA, Baughman VL, Wang Q, Pelligrino DA, Albrecht RF. The role of nitric oxide in modulating brain activity and blood flow during seizure. *Neuroreport* 1995; 6(6):921-924.
226. Baughman VL. N2O: of questionable value. *J Neurosurg Anesthesiol* 1995; 7(2):79-81.

227. Hoffman WE, Charbel FT, Edelman G, Albrecht RF, Ausman JI. Nitrous oxide added to isoflurane increases brain artery blood flow and low frequency brain electrical activity. *J Neurosurg Anesthesiol* 1995; 7(2):82-88.
228. Hirota K, Zsigmond EK, Matsuki A, Rabito SF. Topical ketamine inhibits albumin extravasation in chemical peritonitis in rats. *Acta Anaesthesiol Scand* 1995; 39(2):174-178.
229. Arroyo CS, Michaels EK, Laurito CE, Schreibman ML, Kandel G. Use of continuous-infusion alfentanil for analgesia during spark-gap lithotripsy. *J Endourol* 1995; 9(1):41-43.
230. Abe M, Nakamura F, Tan F, Deddish PA, Colley KJ, Becker RP et al. Expression of rat kallikrein and epithelial polarity in transfected Madin-Darby canine kidney cells. *Hypertension* 1995; 26(6 Pt 1):891-898.
231. Erdos EG, Skidgel RA. More on subforms of creatine kinase MB. *N Engl J Med* 1995; 333(6):390.
232. Jackman HL, Tan F, Schraufnagel D, Dragovic T, Dezso B, Becker RP et al. Plasma membrane-bound and lysosomal peptidases in human alveolar macrophages. *Am J Respir Cell Mol Biol* 1995; 13(2):196-204.
233. Galea E, Reis DJ, Xu H, Feinstein DL. Transient expression of calcium-independent nitric oxide synthase in blood vessels during brain development. *FASEB J* 1995; 9(15):1632-1637.
234. Galea E, Reddi J, Feinstein DL. Differential suppression of glial nitric oxide synthase induction by structurally related tyrosine kinase inhibitors. *Neurosci Lett* 1995; 200(3):195-198.
235. Regunathan S, Feinstein DL, Raasch W, Reis DJ. Agmatine (decarboxylated arginine) is synthesized and stored in astrocytes. *Neuroreport* 1995; 6(14):1897-1900.
236. Galea E, Dupouey P, Feinstein DL. Glial fibrillary acidic protein mRNA isoforms: expression in vitro and in vivo. *J Neurosci Res* 1995; 41(4):452-461.
237. Morrell NW, Atochina EN, Morris KG, Danilov SM, Stenmark KR. Angiotensin converting enzyme expression is increased in small pulmonary arteries of rats with hypoxia-induced pulmonary hypertension. *J Clin Invest* 1995; 96(4):1823-1833.
238. Czinn EA, Salem MR, Crystal GJ. Hemodilution impairs hypocapnia-induced vasoconstrictor responses in the brain and spinal cord in dogs. *Anesth Analg* 1995; 80(3):492-498.
239. Crystal GJ, Czinn EA, Silver JM, Salem MR. Coronary vasodilation by isoflurane. Abrupt versus gradual administration. *Anesthesiology* 1995; 82(2):542-549.
240. Crystal GJ, Khoury E, Gurevicius J, Salem MR. Direct effects of halothane on coronary blood flow, myocardial oxygen consumption, and myocardial segmental shortening in in situ canine hearts. *Anesth Analg* 1995; 80(2):256-262.
241. Gurevicius J, Salem MR, Metwally AA, Silver JM, Crystal GJ. Contribution of nitric oxide to coronary vasodilation during hypercapnic acidosis. *Am J Physiol* 1995; 268(1 Pt 2):H39-H47.
242. Minshall RD, Nakamura F, Becker RP, Rabito SF. Characterization of bradykinin B2 receptors in adult myocardium and neonatal rat cardiomyocytes. *Circ Res* 1995; 76(5):773-780.