

+

+

Aurora BayCare Medical Center



Patient Label

ABMC Unacceptable Abbreviations:

U, u or IU cc μg TIW
qid qod gr or dr qd
MgSO4 MSO4 MS
AS AD AU
OS OD OU

STAT

Cannot use trailing Zero, Must use leading Zero

Use Ball Point Pen Only

Patient Weight: kg Diabetic: Yes No Allergies:

Table with columns DATE, TIME, and PHYSICIAN ORDERS. Contains protocols for ACUTE STROKE (ISCHEMIC) - TPA CANDIDATE PROTOCOL and Alteplase (tPA) Protocol - Administration.

Physician Signature: Date Time:



+

+

Aurora BayCare Medical Center



ABMC Unacceptable Abbreviations:

U, u or IU cc µg TIW
 qid qod gr or dr qd
 MgSO4 MSO4 MS
 AS AD AU
 OS OD OU

STAT

Patient Label

Cannot use trailing Zero, Must use leading Zero

Use Ball Point Pen Only

Alteplase (tPA) Dosing chart for Acute Ischemic Stroke

Patient Weight		Total Dose	Bolus Dose	Infusion Dose	Patient Weight		Total Dose	Bolus Dose	Infusion Dose
Lbs.	Kg.	mg=ml	mg=ml	mg=ml	Lbs.	Kg.	mg=ml	mg=ml	mg=ml
90	40.9	36.8	3.7	33.1	156	70.9	63.8	6.4	57.4
92	41.8	37.6	3.8	33.8	158	71.8	64.6	6.5	58.1
94	42.7	38.4	3.8	34.6	160	72.7	65.4	6.5	58.9
96	43.6	39.2	3.9	35.3	162	73.6	66.2	6.6	59.6
98	44.6	40.1	4.0	36.1	164	74.6	67.1	6.7	60.4
100	45.5	41.0	4.1	36.9	166	75.5	68.0	6.8	61.2
102	46.4	41.8	4.2	37.6	168	76.4	68.8	6.9	61.9
104	47.3	42.6	4.3	38.3	170	77.3	69.6	7.0	62.6
106	48.2	43.4	4.3	39.1	172	78.2	70.4	7.0	63.4
108	49.1	44.2	4.4	39.8	174	79.1	71.2	7.1	64.1
110	50.0	45.0	4.5	40.5	176	80.0	72.0	7.2	64.8
112	50.9	45.8	4.6	41.2	178	80.9	72.8	7.3	65.5
114	51.8	46.6	4.7	41.9	180	81.8	73.6	7.4	66.2
116	52.7	47.4	4.7	42.7	182	82.7	74.4	7.4	67.0
118	53.6	48.2	4.8	43.4	184	83.6	75.2	7.5	67.7
120	54.6	49.1	4.9	44.2	186	84.6	76.1	7.6	68.5
122	55.5	50.0	5.0	45.0	188	85.5	77.0	7.7	69.3
124	56.4	50.8	5.1	45.7	190	86.4	77.8	7.8	70.0
126	57.3	51.6	5.2	46.4	192	87.3	78.6	7.9	70.7
128	58.2	52.4	5.2	47.2	194	88.2	79.4	7.9	71.5
130	59.1	53.2	5.3	47.9	196	89.1	80.2	8.0	72.2
132	60.0	54.0	5.4	48.6	198	90.0	81.0	8.1	72.9
134	60.9	54.8	5.5	49.3	200	90.9	81.8	8.2	73.6
136	61.8	55.6	5.6	50.0	202	91.8	82.6	8.3	74.3
138	62.7	56.4	5.6	50.8	204	92.7	83.4	8.3	75.1
140	63.6	57.2	5.7	51.5	206	93.6	84.2	8.4	75.8
142	64.6	58.1	5.8	52.3	208	94.6	85.1	8.5	76.6
144	65.5	59.0	5.9	53.1	210	95.5	86.0	8.6	77.4
146	66.4	59.8	6.0	53.8	212	96.4	86.8	8.7	78.1
148	67.3	60.6	6.1	54.5	214	97.3	87.6	8.8	78.8
150	68.2	61.4	6.1	55.3	216	98.2	88.4	8.8	79.6
152	69.1	62.2	6.2	56.0	218	99.1	89.2	8.9	80.3
154	70.0	63.0	6.3	56.7	> 218	> 99	90.1	10	80

DO NOT EXCEED MAXIMUM DOSE OF 90 mg (90 ml)

Calculation used to determine the above dosing schedule:

tPA 0.9 mg X _____ kg = _____ mg



05200590

PPO 00003678
PHYSICIAN ORDERS

Page 4 of 4
 BC-1216 (Rev. 5/05)