

**UIC / NIH CENTER FOR BOTANICAL DIETARY SUPPLEMENTS RESEARCH
PUBLICATIONS**

1999 (1)

Gu C, Nikolic D, Lai J, Xu X, van Breemen RB. Assays of ligand-human serum albumin binding using pulsed ultrafiltration and liquid chromatography-mass spectrometry. *Comb Chem High Throughput Screen.* 1999;2(6):353-9 [Core A / Core B / Project3].

2000 (1)

Li W, Gu C, Zhang H, et al. Use of high-performance liquid chromatography-tandem mass spectrometry to distinguish *Panax ginseng* C. A. Meyer (Asian ginseng) and *Panax quinquefolius* L. (North American ginseng). *Anal Chem.* 2000;72(21):5417-22 [Core A / Project3].

Nikolic, D.;Habibi-Goudarzi, S.Corley, D. G.Gafner, S.Pezzuto, J. M.;van Breemen, R. B. Evaluation of cyclooxygenase-2 inhibitors using pulsed ultrafiltration mass spectrometry. *Anal Chem.* 2000;72, 3853-3859

2001 (4)

Constantinou AI, Lantvit D, Hawthorne M, Xu X, van Breemen RB, Pezzuto JM. Chemopreventive effects of soy protein and purified soy isoflavones on DMBA-induced mammary tumors in female Sprague-Dawley rats. *Nutr Cancer.* 2001;41(1-2):75-81 [Core A / Core B / Project3].

Johnson BM, Bolton JL, van Breemen RB. Screening botanical extracts for quinoid metabolites. *Chem Res Toxicol.* 2001;14(11):1546-51 [Core A / Core B / Project 1 / Project2].

Liu J, Burdette JE, Xu H, et al. Evaluation of estrogenic activity of plant extracts for the potential treatment of menopausal symptoms. *J Agric Food Chem.* 2001;49(5):2472-9 [Core A / Core B / Project 1 / Project 2 / Project3].

Shin Y.-G vB, R.B. Analysis and screening of combinatorial libraries using mass spectrometry. *Biopharm Drug Dispos.* 2001;22(7-8):353-372 [Core A / Core B / Project3].

2002 (17)

Afsarinejad K, Hedayat AS. Repeated measurements designs for a model with self and simple mixed carryover effects. *J Stat Plan Inference.* 2002;106(1-2):449-459 [Core A/ Project 4].

Burdette JE, Chen SN, Lu ZZ, et al. Black cohosh (*Cimicifuga racemosa* L.) protects against menadione-induced DNA damage through scavenging of reactive oxygen species: bioassay-directed isolation and characterization of active principles. *J Agric Food Chem.* 2002;50(24):7022-8 [Core A / Core B / Project 1 / Project2].

Burdette JE, Liu J, Lantvit D, et al. *Trifolium pratense* (red clover) exhibits estrogenic effects in vivo in ovariectomized Sprague-Dawley rats. *J Nutr.* 2002;132(1):27-30 [Core A / Core B / Project 1 / Project2 / Project 3/ Project 4].

Chen SN, Fabricant DS, Lu ZZ, Fong HH, Farnsworth NR. Cimicracemosides I-P, new 9,19-cyclolanostane triterpene glycosides from *Cimicifuga racemosa*. *J Nat Prod.* 2002;65(10):1391-7 [Project 1].

- Chen SN, Fabricant DS, Lu ZZ, Zhang H, Fong HH, Farnsworth NR. Cimiracemates A-D, phenylpropanoid esters from the rhizomes of *Cimicifuga racemosa*. *Phytochemistry*. 2002;61(4):409-13 [Project 1].
- Chen SN, Li W, Fabricant DS, et al. Isolation, structure elucidation, and absolute configuration of 26-deoxyactein from *Cimicifuga racemosa* and clarification of nomenclature associated with 27-deoxyactein. *J Nat Prod*. 2002;65(4):601-5 [Project 1 / Project3].
- Hedayat AS, Yan B, M. Pezzuto JMJ. Optimum designs for estimating EDp based on raw optical density data. *J. Statist. Plan. Infer.* 2002;104(1):161-174 [Core A/ Project 4].
- Johnson BM, Nikolic D, van Breemen RB. Applications of pulsed ultrafiltration-mass spectrometry. *Mass Spectrom Rev*. 2002;21(2):76-86 [Core A / Core B / Project3]
- Li S-H, Zhang H-J, Qiu S-X, et al. Vitexlactam A, a novel labdane diterpene lactam from the fruits of *Vitex agnus-castus*. *Tetrahedron Lett*. 2002;43(29):5131-5134 [Project 1 / Project3].
- Li W, Chen S, Fabricant D, et al. High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection. *Analytica Chimica Acta*. 2002;471(1):61-75 [Project 1].
- Li W, Fitzloff JF, Farnsworth NR, Fong HH. Evaluation of commercial Ginkgo biloba dietary supplements for the presence of colchicine by high-performance liquid chromatography. *Phytomedicine*. 2002;9(5):442-6 [Project 1].
- Li W, Sun Y, Fitzloff JF, van Breemen RB. Evaluation of commercial ginkgo and echinacea dietary supplements for colchicine using liquid chromatography-tandem mass spectrometry. *Chem Res Toxicol*. 2002;15(9):1174-8 [Core A / Core B / Project3].
- Lin L, Hedayat AS, Sinha B, Yang M. Statistical Methods in Assessing Agreement. *J. Am. Statist. Assoc.* 2002;97(457):257-270 [Core A/ Project 4].
- Mahady GB, Fabricant D, Chadwick LR, Dietz B. Black cohosh: an alternative therapy for menopause? *Nutr Clin Care*. 2002;5(6):283-9 [Core C / Project 1/ Project 2].
- Shin YG, Bolton JL, Van Breemen RB. Screening drugs for metabolic stability using pulsed ultrafiltration mass spectrometry. *Comb. Chem. High Throughput Screen*. 2002;5(1):59-64 [Project 2].
- Xu H, Fabricant DS, Piersen CE, et al. A preliminary RAPD-PCR analysis of *Cimicifuga* species and other botanicals used for women's health. *Phytomedicine*. 2002;9(8):757-62 [Project 1/ Project 2].

2003 (16)

- Burdette JE, Liu J, Chen SN, et al. Black cohosh acts as a mixed competitive ligand and partial agonist of the serotonin receptor. *J Agric Food Chem*. 2003;51(19):5661-70.
- Gafner S, Bergeron C, Batcha LL, et al. Inhibition of [3H]-LSD binding to 5-HT7 receptors by flavonoids from *Scutellaria lateriflora*. *J Nat Prod*. 2003;66(4):535-7.
- Hedayat A.S. HZ. Adding more observations to saturated D-optimal resolution III two-level factorial designs. *Journal of Combinatorial Designs*. 2003;11(1):51-77.
- Hedayat AS, Stufken J. Optimal and efficient crossover designs under different assumptions about the carryover effects. *J Biopharm Stat*. 2003;13(3):519-28.

- Hedayat AS, Yang M. Universal optimality of balanced uniform crossover designs. *Ann Stat.* 2003;31(3):978-983.
- Johnson BM, Qiu SX, Zhang S, et al. Identification of novel electrophilic metabolites of *Piper methysticum* Forst (Kava). *Chem Res Toxicol.* 2003;16(6):733-40.
- Johnson BM, van Breemen RB. In Vitro Formation of Quinoid Metabolites of the Dietary Supplement *Cimicifuga racemosa* (Black Cohosh). *Chem. Res. Toxicol.* 2003;16(7):838-846.
- Li W, Sun Y, Joseph J, Fitzloff JF, Fong HH, van Breemen RB. p-Hydroxybenzoic acid alkyl esters in *Andrographis paniculata* herbs, commercial extracts, and formulated products. *J Agric Food Chem.* 2003;51(2):524-9.
- Li W, Sun Y, Liang W, Fitzloff JF, van Breemen RB. Identification of caffeic acid derivatives in *Actea racemosa* (*Cimicifuga racemosa*, black cohosh) by liquid chromatography/tandem mass spectrometry. *Rapid Commun Mass Spectrom.* 2003;17(9):978-82.
- Li Y, Shin YG, Yu C, et al. Increasing the throughput and productivity of Caco-2 cell permeability assays using liquid chromatography-mass spectrometry: application to resveratrol absorption and metabolism. *Comb Chem High Throughput Screen.* 2003;6(8):757-67.
- Liu X, Zhang F, Liu H, et al. Effect of halogenated substituents on the metabolism and estrogenic effects of the equine estrogen, equilenin. *Chem Res Toxicol.* 2003;16(6):741-9.
- Lyons MM, Yu C, Toma RB, et al. Resveratrol in raw and baked blueberries and bilberries. *J Agric Food Chem.* 2003;51(20):5867-70.
- Mahady GB. Is black cohosh estrogenic? *Nutr Rev.* 2003;61(5 Pt 1):183-6.
- Mahady GB, Parrot J, Lee C, Yun GS, Dan A. Botanical dietary supplement use in peri- and postmenopausal women. *Menopause.* 2003;10(1):65-72.
- Piersen CE. Phytoestrogens in botanical dietary supplements: implications for cancer. *Integr Cancer Ther.* 2003;2(2):120-38.
- Yu C, Shin YG, Kosmeder JW, Pezzuto JM, van Breemen RB. Liquid chromatography/tandem mass spectrometric determination of inhibition of human cytochrome P450 isozymes by resveratrol and resveratrol-3-sulfate. *Rapid Commun Mass Spectrom.* 2003;17(4):307-13.
- Zhang HJ, Tan GT, Hoang VD, et al. Natural anti-HIV agents. Part IV. Anti-HIV constituents from *Vatica cinerea*. *J Nat Prod.* 2003;66(2):263-8.
- 2004 (12)**
- Booth NL, Nikolic D, van Breemen RB, et al. Confusion regarding anticoagulant coumarins in dietary supplements. *Clin Pharmacol Ther.* 2004;76(6):511-6.
- Chadwick LR, Nikolic D, Burdette JE, et al. Estrogens and congeners from spent hops (*Humulus lupulus*). *J Nat Prod.* 2004;67(12):2024-32.
- Hedayat AS, Yang M. Universal Optimality for Selected Crossover Designs. *J Am Statist Assoc.* 2004;99(466):461-466.
- Hedayat AS, Zhong J, Nie L. Optimal and efficient designs for 2-parameter nonlinear models. *J Statist Plan Infer.* 2004;124(1):205-217.

- Li W, Sun Y, van Breemen RB, Fitzloff JF. Evaluation of Major Caffeic Acid Derivatives in Echinacea purpurea Dietary Supplements by HPLC with Photodiode Array Detection and Electrospray Mass Spectrometry. *J Liq Chromatogr Rel Technol*. 2004;27(16):2507 - 2529.
- Li Y, Grubjesic S, Nikolic D, et al. In vitro assessment of intestinal permeability and hepatic metabolism of 4'-bromoflavone, a promising cancer chemopreventive agent. *Xenobiotica*. 2004;34(6):535-47.
- Liu J, Burdette JE, Sun Y, et al. Isolation of linoleic acid as an estrogenic compound from the fruits of *Vitex agnus-castus* L. (chaste-berry). *Phytomedicine*. 2004;11(1):18-23.
- Mariappan SVS, Cheng X, van Breemen RB, Silks LA, Gupta G. Analysis of GAA/TTC DNA triplexes using nuclear magnetic resonance and electrospray ionization mass spectrometry. *Anal Biochem*. 2004;334(2):216-226.
- Nikolic D, Li Y, Chadwick LR, et al. Metabolism of 8-prenylnaringenin, a potent phytoestrogen from hops (*Humulus lupulus*), by human liver microsomes. *Drug Metab Dispos*. 2004;32(2):272-9.
- Nikolic D, van Breemen RB. New metabolic pathways for flavonones catalyzed by rat liver microsomes. *Drug Metab Dispos*. 2004;32(4):387-397.
- Piersen CE, Booth NL, Sun Y, et al. Chemical and biological characterization and clinical evaluation of botanical dietary supplements: a phase I red clover extract as a model. *Curr Med Chem*. 2004;11(11):1361-74.

2005 (16)

- Chadwick LR, Fong HHS, Farnsworth NR, Pauli GF. CCC Sample Cutting for Isolation of Prenylated Phenolics from Hops. *J. Liq. Chromatogr. Rel. Technol*. 2005;28(12):1959 - 1969.
- Chen SN, Fabricant DS, Pauli GF, Fong HH, Farnsworth NR. Synthesis of cimicracemate B, a phenylpropanoid found in *Cimicifuga racemosa*. *Nat Prod Res*. 2005;19(3):287-90.
- Cheng X, van Breemen RB. Mass Spectrometry-Based Screening for Inhibitors of beta-Amyloid Protein Aggregation. *Anal. Chem*. 2005;77(21):7012-7015 [Core B] [PUBMED CENTRAL # 1780175]
- Conway WD, Chadwick LR, Fong HHS, Farnsworth NR, Pauli GF. Extra-Column dead volume in countercurrent chromatography. *J. Liq. Chromatogr. Rel. Technol*. 2005;28(12):1799 - 1818 [Project 1]
- Dietz BM, Kang YH, Liu G, et al. Xanthohumol isolated from *Humulus lupulus* Inhibits menadione-induced DNA damage through induction of quinone reductase. *Chem Res Toxicol*. 2005;18(8):1296-305 [Project 1/ Project 2/ Project 3].
- Dietz BM, Mahady GB, Pauli GF, Farnsworth NR. Valerian extract and valerenic acid are partial agonists of the 5-HT_{5a} receptor in vitro. *Mol. Brain Res*. 2005;138(2):191-197 [Project 1/ Project 2/ Project 3].
- Eggler, A. L. Liu, G. Pezzuto, J. M. van Breemen, R. B. Mesecar, A. D. Modifying specific cysteines of the electrophile-sensing human Keap1 protein is insufficient to disrupt binding to the Nrf2 domain Neh2. *Proc Natl Acad Sci U S A*. 2005, 102(29):10070-10075
- Fabricant DS, Nikolic D, Lankin DC, et al. Cimipronidine, a cyclic guanidine alkaloid from *Cimicifuga racemosa*. *J Nat Prod*. 2005;68(8):1266-70 [Core A / Core B / Project 1/ Project 3].

- Geller SE, Studee L. Botanical and dietary supplements for menopausal symptoms: what works, what does not. *J Womens Health (Larchmt)*. 2005;14(7):634-49 [PUBMED CENTRAL # 1764641]
- Hedayat AS, Yang M. Optimal and efficient crossover designs for comparing test treatments with a control treatment. *Ann. Stat.* 2005;33(2):915-943.
- Hrastinger A, Dietz B, Bauer R, Sagraves R, Mahady G. Is there clinical evidence supporting the use of botanical dietary supplements in children? *J Pediatr.* 2005;146(3):311-7 [Core C].
- Liu G, Egger AL, Dietz BM, et al. Screening method for the discovery of potential cancer chemoprevention agents based on mass spectrometric detection of alkylated Keap1. *Anal Chem.* 2005;77(19):6407-14 [Project 3].
- Mahady GB. Black cohosh (*Actaea/Cimicifuga racemosa*): review of the clinical data for safety and efficacy in menopausal symptoms. *Treat Endocrinol.* 2005;4(3):177-84 [Core C].
- Nikolic D, Li Y, Chadwick LR, Pauli GF, van Breemen RB. Metabolism of xanthohumol and isoxanthohumol, prenylated flavonoids from hops (*Humulus lupulus L.*), by human liver microsomes. *J Mass Spectrom.* 2005;40(3):289-99 [Project 1/ Project 3].
- Overk CR, Yao P, Chadwick LR, et al. Comparison of the in vitro estrogenic activities of compounds from hops (*Humulus lupulus*) and red clover (*Trifolium pratense*). *J Agric Food Chem.* 2005;53(16):6246-53 [Project 1/ Project 2/ Core B] [PUBMED CENTRAL # 1815392].
- Pauli GF, Jaki BU, Lankin DC, Quantitative H NMR: development and potential of a method for natural products analysis. *J. Nat. Prod.* 2005, 68, 133-149
- Sun Y, Gu C, Liu X, et al. Ultrafiltration tandem mass spectrometry of estrogens for characterization of structure and affinity for human estrogen receptors. *J Am Soc Mass Spectrom.* 2005;16(2):271-9 [Core B] [PUBMED CENTRAL # 1780173].
- Sun Y, Li W, Fitzloff JF, van Breemen RB. Liquid chromatography/electrospray tandem mass spectrometry of terpenoid lactones in Ginkgo biloba. *J Mass Spectrom.* 2005;40(3):373-9 [Core B]. [PUBMED CENTRAL # 1852454]
- Turner A, Chen SN, Joike MK, Pendland SL, Pauli GF, Farnsworth NR. Inhibition of uropathogenic *Escherichia coli* by cranberry juice: a new antiadherence assay. *J Agric Food Chem.* 2005;53(23):8940-7 [Project 1].
- van Breemen, R. B. Li, Y. Caco-2 cell permeability assays to measure drug absorption. *Expert Opin Drug Metab Toxicol.* 2005, 1(2): 175-185

2006 (16)

- Booth NL, Overk CR, Yao P, et al. The chemical and biologic profile of a red clover (*Trifolium pratense L.*) phase II clinical extract. *J Alt. Compl Med.* 2006;12(2):133-9 [PROJECT 1 /CORE B] [PUBMED CENTRAL # 1780253].
- Booth NL, Overk CR, Yao P, et al. Seasonal variation of red clover (*Trifolium pratense L., Fabaceae*) isoflavones and estrogenic activity. *J Agric Food Chem.* 2006;54(4):1277-82 [PROJECT 1] [PUBMED CENTRAL # 1903374].

- Booth NL, Pierson CE, Banuvar S, Geller SE, Shulman LP, Farnsworth NR. Clinical studies of red clover (*Trifolium pratense*) dietary supplements in menopause: a literature review. *Menopause*. 2006;13(2):251-64 [PROJECT 1/PROJECT 4].
- Chadwick LR, Pauli GF, Farnsworth NR. The pharmacognosy of *Humulus lupulus L.* (hops) with an emphasis on estrogenic properties. *Phytomedicine*. 2006;13(1-2):119-31 [PROJECT 1] [PUBMED CENTRAL # 1852439]
- Deng S, Chen SN, Lu J, et al. GABAergic phthalide dimers from *Angelica sinensis* (Oliv.) Diels. *Phytochem Anal*. 2006;17(6):398-405 [PROJECT 1 /CORE B].
- Deng S, Chen SN, Yao P, et al. Serotonergic activity-guided phytochemical investigation of the roots of *Angelica sinensis*. *J Nat Prod*. 2006;69(4):536-41 [PROJECT 1 /CORE B] [PUBMED CENTRAL # 14939]. [PUBMED CENTRAL # 1866289]
- Gafner S, Dietz BM, McPhail KL, et al. Alkaloids from *Eschscholzia californica* and their capacity to inhibit binding of [3H]8-Hydroxy-2-(di-N-propylamino)tetralin to 5-HT1A receptors in Vitro. *J Nat Prod*. 2006;69(3):432-5
- Geller SE, Studee L. Contemporary alternatives to plant estrogens for menopause. *Maturitas*. 2006;55 Suppl 1:S3-13 [PROJECT 4] [PUBMED CENTRAL # 1780040].
- Geller SE, Studee L. Soy and red clover for mid-life and aging. *Climacteric*. 2006;9(4):245-63 [PROJECT 4] [PUBMED CENTRAL #1780039].
- Guo J, Nikolic D, Chadwick LR, Pauli GF, van Breemen RB. Identification of human hepatic cytochrome P450 enzymes involved in the metabolism of 8-prenylnaringenin and isoxanthohumol from hops (*Humulus lupulus L.*). *Drug Metab Dispos*. 2006;34(7):1152-9 [Project 3]
- He K, Pauli GF, Zheng B, et al. Cimicifuga species identification by high performance liquid chromatography-photodiode array/mass spectrometric/evaporative light scattering detection for quality control of black cohosh products. *J Chromatogr A*. 2006;1112(1-2):241-54 [PROJECT 1] [PUBMED CENTRAL # 1847404].
- Hedayat AS, Yan X, Lin L. Optimal designs in stability studies. *J Biopharm Stat*. 2006;16(1):35-59 [CORE A].
- Hedayat AS, Yang M. Efficient crossover designs for comparing test treatments with a control treatment. *Discrete Math*. 2006;306(23):3112-3124 [CORE A].
- Hedayat AS; Yang M. Optimal and efficient crossover designs when subject effects are random. *J Am Statist. Assoc*. 2006, 101, 1031-1038 [CORE A].
- Nikolic D, Li Y, Chadwick LR, van Breemen RB. In vitro studies of intestinal permeability and hepatic and intestinal metabolism of 8-prenylnaringenin, a potent phytoestrogen from hops (*Humulus lupulus L.*). *Pharm Res*. 2006;23(5):864-72 [PROJECT 1 / PROJECT 3 / CORE B] [PUBMED CENTRAL # 1764547].
- Rhyu MR, Lu J, Webster DE, Fabricant DS, Farnsworth NR, Wang ZJ. Black cohosh (*Actaea racemosa*, *Cimicifuga racemosa*) behaves as a mixed competitive ligand and partial agonist at the human mu opiate receptor. *J Agric Food Chem*. 2006;54(26):9852-7 [PROJECT 1] [PUBMED CENTRAL # 2547488].
- Webster DE, Lu J, Chen SN, Farnsworth NR, Wang ZJ. Activation of the mu-opiate receptor by *Vitex agnus-castus* methanol extracts: implication for its use in PMS. *J Ethnopharmacol*. 2006;106(2):216-21 [PROJECT 1].

2007 (12)

- Chen SN, Lankin DC, Nikolic D, et al. Chlorination diversifies *Cimicifuga racemosa* triterpene glycosides. *J Nat Prod.* 2007;70(6):1016-23 [CORE B/ PROJECT 1] [PUBMED CENTRAL # 2596075].
- Dietz B, Bolton JL. Botanical dietary supplements gone bad. *Chem Res Toxicol.* 2007;20(4):586-90 [PROJECT 2] [PUBMED CENTRAL # 2504026].
- Egglar AL, Luo Y, van Breemen RB, Mesecar AD. Identification of the highly reactive cysteine 151 in the chemopreventive agent-sensor Keap1 protein is method-dependent. *Chem Res Toxicol.* 2007;20(12):1878-84.
- Geller SE, Studee L. Botanical and dietary supplements for mood and anxiety in menopausal women. *Menopause.* 2007;14(3 Pt 1):541-9 [PROJECT 4]
- Hedayat AS, Lin, L., & Wu, W. . A Unified Approach for Assessing Agreement for Continuous and Categorical Data. *J Biopharm. Stat.* 2007;17(4):629-652 [CORE A/ PROJECT 4]
- Hedayat AS, & Pesotan, H. . Tools for constructing optimal two-level factorial designs for a linear model containing main effects and one two-factor interaction. *J Statist Plan Infer.* 2007;137(4):1452 [CORE A/ PROJECT 4]
- Li W, Xu X, Zhang H, et al. Secondary metabolites from *Andrographis paniculata*. *Chem Pharm Bull (Tokyo).* 2007;55(3):455-8 [CORE A / CORE B / PROJECT 3].
- Luo Y, Egglar AL, Liu D, Liu G, Mesecar AD, van Breemen RB. Sites of alkylation of human Keap1 by natural chemoprevention agents. *J Am Soc Mass Spectrom.* 2007;18(12):2226-32 [Project 3] [PUBMED CENTRAL #2144741]
- Pang Y, Nikolic D, Zhu D, et al. Binding of the hop (*Humulus lupulus L.*) chalcone xanthohumol to cytosolic proteins in Caco-2 intestinal epithelial cells. *Mol Nutrit Food Res.* 2007;51(7):872-9 [CORE A / CORE B / PROJECT 1 / PROJECT 3]
- Pauli GF, Jaki BU, Lankin DC. A routine experimental protocol for qHNMR illustrated with Taxol. *J Nat Prod.* 2007;70(4):589-95 [PROJECT 1].
- Qiu SX, Dan C, Ding LS, et al. A triterpene glycoside from black cohosh that inhibits osteoclastogenesis by modulating RANKL and TNFalpha signaling pathways. *Chem Biol.* 2007;14(7):860-9 [PROJECT 1].
- Turner A, Chen SN, Nikolic D, van Breemen R, Farnsworth NR, Pauli GF. Coumaroyl iridoids and a depside from cranberry (*Vaccinium macrocarpon*). *J Nat Prod.* 2007;70(2):253-8 [CORE B / PROJECT 1] [PUBMED CENTRAL # 1847405].
- van Breemen RB, Fong HH, Farnsworth NR. The role of quality assurance and standardization in the safety of botanical dietary supplements. *Chem Res Toxicol.* 2007;20(4):577-82 [CORE A / CORE B / PROJECT 1 / PROJECT3] [PUBMED CENTRAL # 2570109].

2008 (16)

- Barnes S, Birt DF, Cassileth BR, et al. Technologies and experimental approaches at the National Institutes of Health Botanical Research Centers. *Am J Clin Nutr.* 2008;87(2):476S-80S. [PUBMED CENTRAL: 2715852]
- Chen SN, Turner A, Jaki BU, et al. An experimental implementation of chemical subtraction. *J Pharm Biomed Anal.* 2008;46(4):692-8. [PUBMED CENTRAL # 2292113]

- Choi Y, van Breemen RB. Development of a screening assay for ligands to the estrogen receptor based on magnetic microparticles and LC-MS. *Comb Chem High Throughput Screen*. 2008;11(1):1-6. [PMID: 18220538]
- Deng S, Wang Y, Inui T, et al. Anti-TB polyynes from the roots of *Angelica sinensis*. *Phytother Res*. 2008;22(7):878-82. [PUBMED CENTRAL # 2504689]
- Dietz BM, Liu D, Hagos GK, et al. *Angelica sinensis* and its alkylphthalides induce the detoxification enzyme NAD(P)H: quinone oxidoreductase 1 by alkylating Keap1. *Chem Res Toxicol*. 2008;21(10):1939-48. [NIHMS # 71636]
- Dong Y, Hedayat, A. S., & Sinha, B. K. Surveillance strategies for detecting changepoint in incidence rate based on exponentially weighted moving average methods. *J. Am. Statist. Assoc*. 2008;103(482):843.
- Fang X, & Hedayat, A. S. . Locally D-optimal designs based on a class of composed models resulted from blending Emax and one-compartment models. *Ann Stat*. 2008;36(1):428.
- Farnsworth NR, Krause EC, Bolton JL, Pauli GF, van Breemen RB, Graham JG. The University of Illinois at Chicago/National Institutes of Health Center for Botanical Dietary Supplements Research for Women's Health: from plant to clinical use. *Am J Clin Nutr*. 2008;87(2):504S-8S. [PMID: 18258647]
- Hedayat AS, Su, G., & Elane Streets, W. Statistical scoring procedures applicable to laboratory performance evaluation. *J Statist Plan Infer*. 2008;138(11):3336.
- Hedayat AS, & Yan, Z. . Crossover designs based on type I orthogonal arrays for a self and simple mixed carryover effects model with correlated errors. *J. Statist Plan Infer*. 2008;138(7):2201.
- Maki, P. M. Drogos, L. L. Rubin, L. H. Banuvar, S. Shulman, L. P. Geller, S. E. Objective hot flashes are negatively related to verbal memory performance in midlife women. *Menopause* 2008; 15(5): 848-56 [PMID: 18562950]
- Overk CR, Guo J, Chadwick LR, et al. In vivo estrogenic comparisons of *Trifolium pratense* (red clover) *Humulus lupulus* (hops), and the pure compounds isoxanthohumol and 8-prenylnaringenin. *Chem Biol Interact*. 2008;176(1):30-9. [NIHMS # 56377]
- Overk CR, Yao P, Chen S, et al. High-content screening and mechanism-based evaluation of estrogenic botanical extracts. *Comb Chem High Throughput Screen*. 2008;11(4):283-93. [NIHMS # 71642]
- Pauli GF, Pro SM, Friesen JB. Countercurrent separation of natural products. *J Nat Prod*. 2008;71(8):1489-508. [PUBMED CENTRAL # 18666799]
- Powell SL, Godecke T, Nikolic D, et al. In vitro serotonergic activity of black cohosh and identification of N(omega)-methylserotonin as a potential active constituent. *J Agric Food Chem*. 2008;56(24):11718-26. [PMID: 19049296]
- Schinkovitz A, Pro SM, Main M, et al. Dynamic nature of the ligustilide complex. *J Nat Prod*. 2008;71(9):1604-11. [NIHMS # 65660]
- van Breemen RB, Fong HH, Farnsworth NR. Ensuring the safety of botanical dietary supplements. *Am J Clin Nutr*. 2008;87(2):509S-13S. [PMID: 18258648]

2009 (6)

Chen SN, Lankin D, Chadwick LR, Jaki BU, Pauli GF. Dynamic residual complexity of natural products by qHNMR: solution stability of desmethylxanthohumol. *Planta Med.* 2009. 75(7), 757-62 [PMID # 19145555]

Geller SE, Shulman LP, van Breemen RB, Banuvar S, Epstein G, Hedayat S, Nikolic D, Krause EC, Piersen CE, Bolton JL, Pauli GF, Farnsworth NR. Safety and efficacy of black cohosh and red clover for the management of vasomotor symptoms: a randomized controlled trial. *Menopause.* 2009. 16(6), 1-11. [NIHMS: 135600]

Godecke T, Lankin DC, Chen SN, Powell SL, Dietz B, Bolton JL, van Breemen RB, Farnsworth NR, Pauli GF. Guanidine alkaloids and Pictet-Spengler adducts from black cohosh (*Cimicifuga racemosa*). *J. Nat. Prod.* 2009, 72, 433-437. [NIHMS # 94494]

Godecke T, Nikolic D, Lankin DC, Chen SN, Powell SL, Dietz B, Bolton JL, van Breemen RB, Farnsworth NR, Pauli GF. Phytochemistry of cimicifugic acids and associated bases in black cohosh root extracts. *Phytochem. Anal.* 2009, 20, 120-131 [NIHMS 95583].

Maki, P. M. Rubin, L. H. Fornelli, D. Drogos, L. Banuvar, S. Shulman, L. P. Geller, S. E. Effects of botanicals and combined hormone therapy on cognition in postmenopausal women. *Menopause.* 2009, [PMID: 19590458]

van Breemen RB, Liang W, Banuvar S, Shulman L, Pang Y, Tao Y, Nikolic D, Fabricant DS, Chen S-N, Hedayat S, Bolton JL, Pauli GF, Piersen CE, Krause EC, Geller SE, Farnsworth NR. Pharmacokinetics of 23-epi-26-deoxyactein in women after oral administration of a standardized extract of black cohosh. *Clinical Pharmacology & Therapeutics.* 2010 Feb;87(2):219-25. Epub 2009 Dec 23.[PMID: 20032972]

2010 (6)

van Breemen RB, Liang W, Banuvar S, Shulman L, Pang Y, Tao Y, Nikolic D, Fabricant D, Chen S-N, Hedayat S, Bolton JB, Pauli GF, Piersen C, Krause E, Geller S, Farnsworth NR. Pharmacokinetics of 23-epi-26-deoxyactein in women following oral administration of a standardized extract of *Cimicifuga racemosa* L. (Nutt.) (black cohosh), *Clin. Pharmacol. Ther.* 2010, 87: 219-225.

Krause EC; Booth NL, Piersen CE, Farnsworth NR; Red Clover. In *Encyclopedia of Dietary Supplements* (Coates, P.M., Ed) Informa Healthcare, New York, NY, pp 665-679, 2010.

Fabricant DS, Krause EC, Farnsworth NR; Black Cohosh; In *Encyclopedia of Dietary Supplements* (Coates, P.M., Ed), Informa Healthcare, New York, NY, pp 60-74, 2010.

Cuendet M, Guo J, Luo Y, Chen S, Oteham CP, Moon RC, van Breemen RB, Marler LE, Pezzuto JM. Cancer chemopreventive activity and metabolism of isoliquiritigenin, a compound found in licorice. *Cancer Prev Res (Phila).* 2010, 3: 221-32. PMID: 20068129 Free PMC Article

Bolca S, Li J, Nikolic D, Roche N, Blondeel P, Possemiers S, De Keukeleire D, Bracke M, Heyerick A, van Breemen RB, Depypere H. Disposition of hop prenylflavonoids in human breast tissue. *Mol. Nutr. Food Res.* 2010, 54 Suppl 2: S284-94.PMID: 20486208

Cao H, Yu R, Choi Y, Ma ZZ, Zhang H, Xiang W, Lee DY, Berman BM, Moudgil KD, Fong HH, van Breemen RB. Discovery of cyclooxygenase inhibitors from medicinal plants used to treat inflammation. *Pharmacol. Res.* 2010, 61: 519-24. PMID: 20188172

Barton M, Meyer MR, **Bolton JL**, Prossnitz ER. Lung cancer and hormone replacement therapy. *Lancet*. 2010 Jan 9;375(9709):117-8.

2011 (11)

Choi Y, Jermihov K, Nam S, Sturdy M, Maloney K, Qiu X, Chadwick L, Main M, Chen S, Farnsworth N, Pauli G, Mesecar A, Fenical W, Pezzuto J, van Breemen R. Screening natural products for inhibitors of quinone reductase-2 using ultrafiltration LC-MS, *Anal. Chem.* 2011, 83: 1048-1052. [PMID21192729]

Chen S-N, Friesen JB D, Nikolic, H. Fong, D. Webster, R. van Breemen, N. Farnsworth, G. Pauli. Phytoconstituents of *Vitex agnus-castus* fruits, *Fitoterapia* 2011, 82: 528-533. [PMID21163339]

Webster D, Chen S-N, Pauli G, Farnsworth N, Wang ZJ. Opioidergic mechanisms underlying the actions of *Vitex agnus-castus* L. *Biochem. Pharmacol.* 2011, 81: 170-177. [PMID20854795]

Cao H, Yu R, Tao Y, Nikolic D, van Breemen RB. Measurement of cyclooxygenase inhibition using liquid chromatography-tandem mass spectrometry. *J. Pharm. Biomed. Anal.* 2011. 54: 230-5.

Bolton JL. Mechanisms of estrogen carcinogenesis: modulation by botanical natural products." In *Chemical Carcinogenesis* (Penning, T. M., Ed.), Springer, New York, NY, 75-93 2011.

Li J, Gödecke T, Chen S-N, Imai A, Lankin D, Farnsworth NR, Pauli GF, van Breemen RB, Nikolic D. In vitro metabolic interactions between black cohosh (*Cimicifuga racemosa* L.) and tamoxifen via cytochrome P450 mediated pathways, *Xenobiotica*, 2011, published on-line Aug 9.

Shulman LP, Banuvar S, Fong HH, Farnsworth NR. Discussion of a well-designed clinical trial which did not demonstrate effectiveness: UIC center for botanical dietary supplements research study of black cohosh and red clover. *Fitoterapia*. 2011, 82: 88-91. Review.PMID: 2103479

Dietz, B., Bolton, J.L. Biological reactive intermediates (BRIs) formed from botanical dietary supplements. *Chem. Biol. Interact.* 2011 Jun 30;192(1-2):72-80.

Hu C, Egger AL, Mesecar AD, van Breemen RB. Modification of Keap1 cysteine residues by sulforaphane. *Chem Res Toxicol.* 2011. 24:515-21.

van Breemen RB, Tao Y, Li W. Cyclooxygenase-2 inhibitors in ginger (*Zingiber officinale*). *Fitoterapia*. 2011. 82:38-43.

Hemachandra, L. P. M. P., Chandrasena, R. E. P., Chen, S. N., Main, M., Lankin, D.C., Scism, R.A., Dietz, B.M., Pauli, G. F., Thatcher, G. R. J., and Bolton, J. L. Hops (*Humulus lupulus*) inhibits oxidative estrogen metabolism and estrogen induced malignant transformation in human mammary epithelial cells (MCF-10A)." *Cancer Prevention Res.* (2011) in press.

Invited Book Chapters

Fong, H.; Farnsworth, N.; Pauli, G.; Bolton, J.; van Breemen, R.; Banuvar, S. In *Current Review of Chinese Medicine. Quality Control of Herbs and Herbal Materials*; Leung, P.-C., Fong, H., Xue, C., Eds.; World Scientific: New Jersey, **2006**; Vol. 2, pp 11-26.

van Breemen RB. Chapter 4: Natural products from plants. In *The Encyclopedia of Mass Spectrometry, Volume 3: Biological Applications, Part B: Carbohydrates, Nucleic Acids and other Biological Compounds*. Ed. by Caprioli RM. Elsevier, Oxford, UK, pp 317-322, 2006.

Fong HHS, Pauli GF, Bolton JL, van Breemen RB, Banuvar S, Shulman L, Geller SE and Farnsworth NR. Chapter 2: Evidence-based herbal medicine: Challenges in efficacy and safety assessments. In

Annals of Traditional Chinese Medicine – Vol. 2. Current Review of Chinese Medicine: Quality Control of Herbs and Herbal Medicine. Ed. by Leung PC, Fong H, Xue CC. World Scientific, New Jersey, pp 11-26, 2006.

van Breemen RB. Chapter 5: Pharmaceutical Applications: On-line ultrafiltration mass spectrometry, principles and applications. In *Encyclopedia of Mass Spectrometry Volume 8: Hyphenated Methods.* Ed. by Niessen WM. Elsevier Science, Oxford, UK, pp 515-522, 2006.

Krause EC; Booth NL, Pierson CE.; Farnsworth NR., Red Clover. In *Encyclopedia of Dietary Supplements* (Coates, P.M., Ed) Informa Healthcare, New York, NY, pp 665-679, 2010

Fabricant, DS, Krause EC; Farnsworth NR., Black Cohosh. In *Encyclopedia of Dietary Supplements* (Coates, P.M., Ed), Informa Healthcare, New York, NY, pp 60-74, 2010

Bolton, J. L., "Mechanisms of estrogen carcinogenesis: Modulation by botanical natural products." In *Chemical Carcinogenesis* (Penning, T. M., Ed.), Springer, New York, NY, 75-93 2011