

**UIC / NIH CENTER FOR BOTANICAL DIETARY SUPPLEMENTS RESEARCH
PUBLICATIONS**

1999 (1)

Gu C, Nikolic D, Lai J, Xu X, van Breemen RB. Assays of ligand-human serum albumin binding using pulsed ultrafiltration and liquid chromatography-mass spectrometry. *Comb Chem High Throughput Screen.* 1999;2(6):353-9 [Core A / Core B / Project3].

2000 (1)

Li W, Gu C, Zhang H, et al. Use of high-performance liquid chromatography-tandem mass spectrometry to distinguish Panax ginseng C. A. Meyer (Asian ginseng) and Panax quinquefolius L. (North American ginseng). *Anal Chem.* 2000;72(21):5417-22 [Core A / Project3].

2001 (4)

Constantinou AI, Lantvit D, Hawthorne M, Xu X, van Breemen RB, Pezzuto JM. Chemopreventive effects of soy protein and purified soy isoflavones on DMBA-induced mammary tumors in female Sprague-Dawley rats. *Nutr Cancer.* 2001;41(1-2):75-81 [Core A / Core B / Project3].

Johnson BM, Bolton JL, van Breemen RB. Screening botanical extracts for quinoid metabolites. *Chem Res Toxicol.* 2001;14(11):1546-51 [Core A / Core B / Project 1 / Project2].

Liu J, Burdette JE, Xu H, et al. Evaluation of estrogenic activity of plant extracts for the potential treatment of menopausal symptoms. *J Agric Food Chem.* 2001;49(5):2472-9 [Core A / Core B / Project 1 / Project 2 / Project3].

Shin Y.-G vB, R.B. Analysis and screening of combinatorial libraries using mass spectrometry. *Biopharmaceutics & Drug Disposition.* 2001;22(7-8):353-372 [Core A / Core B / Project3].

2002 (17)

Afsarinejad K, Hedayat AS. Repeated measurements designs for a model with self and simple mixed carryover effects. *Journal of Statistical Planning and Inference.* 2002;106(1-2):449-459 [Core A / Project 4].

Burdette JE, Chen SN, Lu ZZ, et al. Black cohosh (*Cimicifuga racemosa* L.) protects against menadione-induced DNA damage through scavenging of reactive oxygen species: bioassay-directed isolation and characterization of active principles. *J Agric Food Chem.* 2002;50(24):7022-8 [Core A / Core B / Project 1 / Project2].

Burdette JE, Liu J, Lantvit D, et al. *Trifolium pratense* (red clover) exhibits estrogenic effects in vivo in ovariectomized Sprague-Dawley rats. *J Nutr.* 2002;132(1):27-30 [Core A / Core B / Project 1 / Project2 / Project 3/ Project 4].

Chen SN, Fabricant DS, Lu ZZ, Fong HH, Farnsworth NR. Cimicracemosides I-P, new 9,19-cyclolanostane triterpene glycosides from *Cimicifuga racemosa*. *J Nat Prod.* 2002;65(10):1391-7 [Project 1].

Chen SN, Fabricant DS, Lu ZZ, Zhang H, Fong HH, Farnsworth NR. Cimicracemates A-D, phenylpropanoid esters from the rhizomes of *Cimicifuga racemosa*. *Phytochemistry.* 2002;61(4):409-13 [Project 1].

- Chen SN, Li W, Fabricant DS, et al. Isolation, structure elucidation, and absolute configuration of 26-deoxyactein from *Cimicifuga racemosa* and clarification of nomenclature associated with 27-deoxyactein. *J Nat Prod.* 2002;65(4):601-5 [Project 1 / Project3].
- Hedayat AS, Yan B, M. Pezzuto JMJ. Optimum designs for estimating EDp based on raw optical density data. *Journal of Statistical Planning and Inference.* 2002;104(1):161-174 [Core A/ Project 4].
- Johnson BM, Nikolic D, van Breemen RB. Applications of pulsed ultrafiltration-mass spectrometry. *Mass Spectrom Rev.* 2002;21(2):76-86 [Core A / Core B / Project3]
- Li S-H, Zhang H-J, Qiu S-X, et al. Vitexlactam A, a novel labdane diterpene lactam from the fruits of *Vitex agnus-castus*. *Tetrahedron Letters.* 2002;43(29):5131-5134 [Project 1 / Project3].
- Li W, Chen S, Fabricant D, et al. High-performance liquid chromatographic analysis of Black Cohosh (*Cimicifuga racemosa*) constituents with in-line evaporative light scattering and photodiode array detection. *Analytica Chimica Acta.* 2002;471(1):61-75 [Project 1].
- Li W, Fitzloff JF, Farnsworth NR, Fong HH. Evaluation of commercial Ginkgo biloba dietary supplements for the presence of colchicine by high-performance liquid chromatography. *Phytomedicine.* 2002;9(5):442-6 [Project 1].
- Li W, Sun Y, Fitzloff JF, van Breemen RB. Evaluation of commercial ginkgo and echinacea dietary supplements for colchicine using liquid chromatography-tandem mass spectrometry. *Chem Res Toxicol.* 2002;15(9):1174-8 [Core A / Core B / Project3].
- Lin L, Hedayat AS, Sinha B, Yang M. Statistical Methods in Assessing Agreement. *Journal of the American Statistical Association.* 2002;97(457):257-270 [Core A/ Project 4].
- Mahady GB, Fabricant D, Chadwick LR, Dietz B. Black cohosh: an alternative therapy for menopause? *Nutr Clin Care.* 2002;5(6):283-9 [Core C / Project 1/ Project 2].
- Shin YG, Bolton JL, Van Breemen RB. Screening drugs for metabolic stability using pulsed ultrafiltration mass spectrometry. *Combinatorial Chemistry and High Throughput Screening.* 2002;5(1):59-64 [Project 2].
- Xu H, Fabricant DS, Pierson CE, et al. A preliminary RAPD-PCR analysis of *Cimicifuga* species and other botanicals used for women's health. *Phytomedicine.* 2002;9(8):757-62 [Project 1/ Project 2].

2003 (16)

- Burdette JE, Liu J, Chen SN, et al. Black cohosh acts as a mixed competitive ligand and partial agonist of the serotonin receptor. *J Agric Food Chem.* 2003;51(19):5661-70.
- Gafner S, Bergeron C, Batcha LL, et al. Inhibition of [3H]-LSD binding to 5-HT7 receptors by flavonoids from *Scutellaria lateriflora*. *J Nat Prod.* 2003;66(4):535-7.
- Hedayat A.S. HZ. Adding more observations to saturated D-optimal resolution III two-level factorial designs. *Journal of Combinatorial Designs.* 2003;11(1):51-77.
- Hedayat AS, Stufken J. Optimal and efficient crossover designs under different assumptions about the carryover effects. *J Biopharm Stat.* 2003;13(3):519-28.
- Hedayat AS, Yang M. Universal optimality of balanced uniform crossover designs. *Annals of Statistics.* 2003;31(3):978-983.

- Johnson BM, Qiu SX, Zhang S, et al. Identification of novel electrophilic metabolites of piper methysticum Forst (Kava). *Chem Res Toxicol*. 2003;16(6):733-40.
- Johnson BM, van Breemen RB. In Vitro Formation of Quinoid Metabolites of the Dietary Supplement Cimicifuga racemosa (Black Cohosh). *Chemical Research in Toxicology*. 2003;16(7):838-846.
- Li W, Sun Y, Joseph J, Fitzloff JF, Fong HH, van Breemen RB. p-Hydroxybenzoic acid alkyl esters in Andrographis paniculata herbs, commercial extracts, and formulated products. *J Agric Food Chem*. 2003;51(2):524-9.
- Li W, Sun Y, Liang W, Fitzloff JF, van Breemen RB. Identification of caffeic acid derivatives in Actea racemosa (Cimicifuga racemosa, black cohosh) by liquid chromatography/tandem mass spectrometry. *Rapid Commun Mass Spectrom*. 2003;17(9):978-82.
- Li Y, Shin YG, Yu C, et al. Increasing the throughput and productivity of Caco-2 cell permeability assays using liquid chromatography-mass spectrometry: application to resveratrol absorption and metabolism. *Comb Chem High Throughput Screen*. 2003;6(8):757-67.
- Liu X, Zhang F, Liu H, et al. Effect of halogenated substituents on the metabolism and estrogenic effects of the equine estrogen, equilenin. *Chem Res Toxicol*. 2003;16(6):741-9.
- Lyons MM, Yu C, Toma RB, et al. Resveratrol in raw and baked blueberries and bilberries. *J Agric Food Chem*. 2003;51(20):5867-70.
- Mahady GB. Is black cohosh estrogenic? *Nutr Rev*. 2003;61(5 Pt 1):183-6.
- Mahady GB, Parrot J, Lee C, Yun GS, Dan A. Botanical dietary supplement use in peri- and postmenopausal women. *Menopause*. 2003;10(1):65-72.
- Piersen CE. Phytoestrogens in botanical dietary supplements: implications for cancer. *Integr Cancer Ther*. 2003;2(2):120-38.
- Yu C, Shin YG, Kosmeder JW, Pezzuto JM, van Breemen RB. Liquid chromatography/tandem mass spectrometric determination of inhibition of human cytochrome P450 isozymes by resveratrol and resveratrol-3-sulfate. *Rapid Commun Mass Spectrom*. 2003;17(4):307-13.
- Zhang HJ, Tan GT, Hoang VD, et al. Natural anti-HIV agents. Part IV. Anti-HIV constituents from Vatica cinerea. *J Nat Prod*. 2003;66(2):263-8.
- 2004 (12)**
- Booth NL, Nikolic D, van Breemen RB, et al. Confusion regarding anticoagulant coumarins in dietary supplements. *Clin Pharmacol Ther*. 2004;76(6):511-6.
- Chadwick LR, Nikolic D, Burdette JE, et al. Estrogens and congeners from spent hops (Humulus lupulus). *J Nat Prod*. 2004;67(12):2024-32.
- Hedayat AS, Yang M. Universal Optimality for Selected Crossover Designs. *Journal of the American Statistical Association*. 2004;99(466):461-466.
- Hedayat AS, Zhong J, Nie L. Optimal and efficient designs for 2-parameter nonlinear models. *Journal of Statistical Planning and Inference*. 2004;124(1):205-217.

- Li W, Sun Y, van Breemen RB, Fitzloff JF. Evaluation of Major Caffeic Acid Derivatives in Echinacea purpurea Dietary Supplements by HPLC with Photodiode Array Detection and Electrospray Mass Spectrometry. *Journal of Liquid Chromatography & Related Technologies*. 2004;27(16):2507 - 2529.
- Li Y, Grubjesic S, Nikolic D, et al. In vitro assessment of intestinal permeability and hepatic metabolism of 4'-bromoflavone, a promising cancer chemopreventive agent. *Xenobiotica*. 2004;34(6):535-47.
- Liu J, Burdette JE, Sun Y, et al. Isolation of linoleic acid as an estrogenic compound from the fruits of Vitex agnus-castus L. (chaste-berry). *Phytomedicine*. 2004;11(1):18-23.
- Mariappan SVS, Cheng X, van Breemen RB, Silks LA, Gupta G. Analysis of GAA/TTC DNA triplexes using nuclear magnetic resonance and electrospray ionization mass spectrometry. *Analytical Biochemistry*. 2004;334(2):216-226.
- Nikolic D, Li Y, Chadwick LR, et al. Metabolism of 8-prenylnaringenin, a potent phytoestrogen from hops (*Humulus lupulus*), by human liver microsomes. *Drug Metab Dispos*. 2004;32(2):272-9.
- Nikolic D, van Breemen RB. New metabolic pathways for flavonones catalyzed by rat liver microsomes. *Drug Metab Dispos*. 2004;32(4):387-397.
- Piersen CE, Booth NL, Sun Y, et al. Chemical and biological characterization and clinical evaluation of botanical dietary supplements: a phase I red clover extract as a model. *Curr Med Chem*. 2004;11(11):1361-74.

2005 (16)

- Chadwick LR, Fong HHS, Farnsworth NR, Pauli GF. CCC Sample Cutting for Isolation of Prenylated Phenolics from Hops. *Journal of Liquid Chromatography & Related Technologies*. 2005;28(12):1959 - 1969.
- Chen SN, Fabricant DS, Pauli GF, Fong HH, Farnsworth NR. Synthesis of cimracemate B, a phenylpropanoid found in *Cimicifuga racemosa*. *Nat Prod Res*. 2005;19(3):287-90.
- Cheng X, van Breemen RB. Mass Spectrometry-Based Screening for Inhibitors of beta-Amyloid Protein Aggregation. *Analytical Chemistry*. 2005;77(21):7012-7015 [Core B] [PUBMED CENTRAL # 1780175]
- Conway WD, Chadwick LR, Fong HHS, Farnsworth NR, Pauli GF. Extra-Column Volume in CCC. *Journal of Liquid Chromatography & Related Technologies*. 2005;28(12):1799 - 1818 [Project 1]
- Dietz BM, Kang YH, Liu G, et al. Xanthohumol isolated from *Humulus lupulus* Inhibits menadione-induced DNA damage through induction of quinone reductase. *Chem Res Toxicol*. 2005;18(8):1296-305 [Project 1/ Project 2/ Project 3].
- Dietz BM, Mahady GB, Pauli GF, Farnsworth NR. Valerian extract and valerenic acid are partial agonists of the 5-HT_{5a} receptor in vitro. *Molecular Brain Research*. 2005;138(2):191-197 [Project 1/ Project 2/ Project 3].
- Fabricant DS, Nikolic D, Lankin DC, et al. Cimipronidine, a cyclic guanidine alkaloid from *Cimicifuga racemosa*. *J Nat Prod*. 2005;68(8):1266-70 [Core A / Core B / Project 1/ Project 3].
- Geller SE, Studee L. Botanical and dietary supplements for menopausal symptoms: what works, what does not. *J Womens Health (Larchmt)*. 2005;14(7):634-49

Hedayat AS, Yang M. Optimal and efficient crossover designs for comparing test treatments with a control treatment. *Annals of Statistics*. 2005;33(2):915-943.

Hrastinger A, Dietz B, Bauer R, Sagraves R, Mahady G. Is there clinical evidence supporting the use of botanical dietary supplements in children? *J Pediatr*. 2005;146(3):311-7 [Core C].

Liu G, Egger AL, Dietz BM, et al. Screening method for the discovery of potential cancer chemoprevention agents based on mass spectrometric detection of alkylated Keap1. *Anal Chem*. 2005;77(19):6407-14 [Project 3].

Mahady GB. Black cohosh (*Actaea/Cimicifuga racemosa*): review of the clinical data for safety and efficacy in menopausal symptoms. *Treat Endocrinol*. 2005;4(3):177-84 [Core C].

Nikolic D, Li Y, Chadwick LR, Pauli GF, van Breemen RB. Metabolism of xanthohumol and isoxanthohumol, prenylated flavonoids from hops (*Humulus lupulus* L.), by human liver microsomes. *J Mass Spectrom*. 2005;40(3):289-99 [Project 1/ Project 3].

Overk CR, Yao P, Chadwick LR, et al. Comparison of the in vitro estrogenic activities of compounds from hops (*Humulus lupulus*) and red clover (*Trifolium pratense*). *J Agric Food Chem*. 2005;53(16):6246-53 [Project 1/ Project 2/ Core B] [PUBMED CENTRAL # 1815392].

Sun Y, Gu C, Liu X, et al. Ultrafiltration tandem mass spectrometry of estrogens for characterization of structure and affinity for human estrogen receptors. *J Am Soc Mass Spectrom*. 2005;16(2):271-9 [Core B] [PUBMED CENTRAL # 1780173].

Sun Y, Li W, Fitzloff JF, van Breemen RB. Liquid chromatography/electrospray tandem mass spectrometry of terpenoid lactones in *Ginkgo biloba*. *J Mass Spectrom*. 2005;40(3):373-9 [Core B].

Turner A, Chen SN, Joike MK, Pendland SL, Pauli GF, Farnsworth NR. Inhibition of uropathogenic *Escherichia coli* by cranberry juice: a new antiadherence assay. *J Agric Food Chem*. 2005;53(23):8940-7 [Project 1].

2006 (16)

Booth NL, Overk CR, Yao P, et al. The chemical and biologic profile of a red clover (*Trifolium pratense* L.) phase II clinical extract. *J Altern Complement Med*. 2006;12(2):133-9 [PROJECT 1 /CORE B] [PUBMED CENTRAL # 14944].

Booth NL, Overk CR, Yao P, et al. Seasonal variation of red clover (*Trifolium pratense* L., Fabaceae) isoflavones and estrogenic activity. *J Agric Food Chem*. 2006;54(4):1277-82 [PROJECT 1] [PUBMED CENTRAL # 14923].

Booth NL, Piersen CE, Banuvar S, Geller SE, Shulman LP, Farnsworth NR. Clinical studies of red clover (*Trifolium pratense*) dietary supplements in menopause: a literature review. *Menopause*. 2006;13(2):251-64 [PROJECT 1/PROJECT 4].

Chadwick LR, Pauli GF, Farnsworth NR. The pharmacognosy of *Humulus lupulus* L. (hops) with an emphasis on estrogenic properties. *Phytochemistry*. 2006;13(1-2):119-31 [PROJECT 1] [PUBMED CENTRAL # 14946]

Deng S, Chen SN, Lu J, et al. GABAergic phthalide dimers from *Angelica sinensis* (Oliv.) Diels. *Phytochem Anal*. 2006;17(6):398-405 [PROJECT 1 /CORE B].

- Deng S, Chen SN, Yao P, et al. Serotonergic activity-guided phytochemical investigation of the roots of *Angelica sinensis*. *J Nat Prod*. 2006;69(4):536-41 [PROJECT 1 /CORE B] [PUBMED CENTRAL # 14939].
- Gafner S, Dietz BM, McPhail KL, et al. Alkaloids from *Eschscholzia californica* and their capacity to inhibit binding of [3H]8-Hydroxy-2-(di-N-propylamino)tetralin to 5-HT1A receptors in Vitro. *J Nat Prod*. 2006;69(3):432-5
- Geller SE, Studee L. Contemporary alternatives to plant estrogens for menopause. *Maturitas*. 2006;55 Suppl 1:S3-13 [PROJECT 4] [PUBMED CENTRAL # 14954].
- Geller SE, Studee L. Soy and red clover for mid-life and aging. *Climacteric*. 2006;9(4):245-63 [PROJECT 4] [PUBMED CENTRAL # 15810].
- Guo J, Nikolic D, Chadwick LR, Pauli GF, van Breemen RB. Identification of human hepatic cytochrome P450 enzymes involved in the metabolism of 8-prenylnaringenin and isoxanthohumol from hops (*Humulus lupulus* L.). *Drug Metab Dispos*. 2006;34(7):1152-9 [Project 3]
- He K, Pauli GF, Zheng B, et al. Cimicifuga species identification by high performance liquid chromatography-photodiode array/mass spectrometric/evaporative light scattering detection for quality control of black cohosh products. *J Chromatogr A*. 2006;1112(1-2):241-54 [PROJECT 1] [PUBMED CENTRAL # 14941].
- Hedayat AS, Yan X, Lin L. Optimal designs in stability studies. *J Biopharm Stat*. 2006;16(1):35-59 [CORE A].
- Hedayat AS, Yang M. Efficient crossover designs for comparing test treatments with a control treatment. *Discrete Mathematics*. 2006;306(23):3112-3124 [CORE A].
- Nikolic D, Li Y, Chadwick LR, van Breemen RB. In vitro studies of intestinal permeability and hepatic and intestinal metabolism of 8-prenylnaringenin, a potent phytoestrogen from hops (*Humulus lupulus* L.). *Pharm Res*. 2006;23(5):864-72 [PROJECT 1 / PROJECT 3 / CORE B] [PUBMED CENTRAL # 1764547].
- Rhyu MR, Lu J, Webster DE, Fabricant DS, Farnsworth NR, Wang ZJ. Black cohosh (*Actaea racemosa*, *Cimicifuga racemosa*) behaves as a mixed competitive ligand and partial agonist at the human mu opiate receptor. *J Agric Food Chem*. 2006;54(26):9852-7 [PROJECT 1] [PUBMED CENTRAL # 2547488].
- Webster DE, Lu J, Chen SN, Farnsworth NR, Wang ZJ. Activation of the mu-opiate receptor by *Vitex agnus-castus* methanol extracts: implication for its use in PMS. *J Ethnopharmacol*. 2006;106(2):216-21 [PROJECT 1].

2007 (12)

- Chen SN, Lankin DC, Nikolic D, et al. Chlorination diversifies *Cimicifuga racemosa* triterpene glycosides. *J Nat Prod*. 2007;70(6):1016-23 [CORE B/ PROJECT 1] [PUBMED CENTRAL # 2596075].
- Dietz B, Bolton JL. Botanical dietary supplements gone bad. *Chem Res Toxicol*. 2007;20(4):586-90 [PROJECT 2] [PUBMED CENTRAL # 2504026].
- Eggler AL, Luo Y, van Breemen RB, Mesecar AD. Identification of the highly reactive cysteine 151 in the chemopreventive agent-sensor Keap1 protein is method-dependent. *Chem Res Toxicol*. 2007;20(12):1878-84.
- Geller SE, Studee L. Botanical and dietary supplements for mood and anxiety in menopausal women. *Menopause*. 2007;14(3 Pt 1):541-9 [PROJECT 4]

- Hedayat AS, Lin, L., & Wu, W. . A Unified Approach for Assessing Agreement for Continuous and Categorical Data. *Journal of Biopharmaceutical Statistics*. 2007;17(4):629-652 [CORE A / PROJECT 4]
- Hedayat AS, & Pesotan, H. . Tools for constructing optimal two-level factorial designs for a linear model containing main effects and one two-factor interaction. *Journal of Statistical Planning and Inference*. 2007;137(4):1452 [CORE A / PROJECT 4]
- Li W, Xu X, Zhang H, et al. Secondary metabolites from *Andrographis paniculata*. *Chem Pharm Bull (Tokyo)*. 2007;55(3):455-8 [CORE A / CORE B / PROJECT 3].
- Luo Y, Egger AL, Liu D, Liu G, Mesecar AD, van Breemen RB. Sites of alkylation of human Keap1 by natural chemoprevention agents. *J Am Soc Mass Spectrom*. 2007;18(12):2226-32 [Project 3]
- Pang Y, Nikolic D, Zhu D, et al. Binding of the hop (*Humulus lupulus* L.) chalcone xanthohumol to cytosolic proteins in Caco-2 intestinal epithelial cells. *Mol Nutr Food Res*. 2007;51(7):872-9 [CORE A / CORE B / PROJECT 1 / PROJECT 3]
- Pauli GF, Jaki BU, Lankin DC. A routine experimental protocol for qHNMR illustrated with Taxol. *J Nat Prod*. 2007;70(4):589-95 [PROJECT 1].
- Qiu SX, Dan C, Ding LS, et al. A triterpene glycoside from black cohosh that inhibits osteoclastogenesis by modulating RANKL and TNF α signaling pathways. *Chem Biol*. 2007;14(7):860-9 [PROJECT 1].
- Turner A, Chen SN, Nikolic D, van Breemen R, Farnsworth NR, Pauli GF. Coumaroyl iridoids and a depside from cranberry (*Vaccinium macrocarpon*). *J Nat Prod*. 2007;70(2):253-8 [CORE B / PROJECT 1] [PUBMED CENTRAL # 149142].
- van Breemen RB, Fong HH, Farnsworth NR. The role of quality assurance and standardization in the safety of botanical dietary supplements. *Chem Res Toxicol*. 2007;20(4):577-82 [CORE A / CORE B / PROJECT 1 / PROJECT3] [PUBMED CENTRAL # 2570109].

2008 (18)

- Barnes S, Birt DF, Cassileth BR, et al. Technologies and experimental approaches at the National Institutes of Health Botanical Research Centers. *Am J Clin Nutr*. 2008;87(2):476S-80S.
- Chang M, Overk CR, Kastrati I, et al. Estrogenic activity of the equine estrogen metabolite, 4-methoxyequilenin. *Adv Exp Med Biol*. 2008;617:601-7.
- Chen SN, Turner A, Jaki BU, et al. An experimental implementation of chemical subtraction. *J Pharm Biomed Anal*. 2008;46(4):692-8.
- Choi Y, van Breemen RB. Development of a screening assay for ligands to the estrogen receptor based on magnetic microparticles and LC-MS. *Comb Chem High Throughput Screen*. 2008;11(1):1-6.
- Deng S, Wang Y, Inui T, et al. Anti-TB polyynes from the roots of *Angelica sinensis*. *Phytother Res*. 2008;22(7):878-82.
- Dietz BM, Liu D, Hagos GK, et al. *Angelica sinensis* and its alkylphthalides induce the detoxification enzyme NAD(P)H: quinone oxidoreductase 1 by alkylating Keap1. *Chem Res Toxicol*. 2008;21(10):1939-48.
- Dong Y, Hedayat, A. S., & Sinha, B. K. Surveillance Strategies for Detecting Change-point in Incidence

- Rate Based on Exponentially Weighted Moving Average Methods. *Journal of the American Statistical Association*. 2008;103(482):843.
- Fang X, & Hedayat, A. S. . Locally D-optimal designs based on a class of composed models resulted from blending Emax and one-compartment models. *The Annals of Statistics*. 2008;36(1):428.
- Farnsworth NR, Krause EC, Bolton JL, Pauli GF, van Breemen RB, Graham JG. The University of Illinois at Chicago/National Institutes of Health Center for Botanical Dietary Supplements Research for Women's Health: from plant to clinical use. *Am J Clin Nutr*. 2008;87(2):504S-8S.
- Friesen JB, Pauli GF. Performance characteristics of countercurrent separation in analysis of natural products of agricultural significance. *J Agric Food Chem*. 2008;56(1):19-28.
- Hedayat AS, Su, G., & Elane Streets, W. . Statistical scoring procedures applicable to laboratory performance evaluation. *Journal of Statistical Planning and Inference*. 2008;138(11):3336.
- Hedayat AS, & Yan, Z. . Crossover designs based on type I orthogonal arrays for a self and simple mixed carryover effects model with correlated errors. *Journal of Statistical Planning and Inference*. 2008;138(7):2201.
- Overk CR, Guo J, Chadwick LR, et al. In vivo estrogenic comparisons of *Trifolium pratense* (red clover) *Humulus lupulus* (hops), and the pure compounds isoxanthohumol and 8-prenylnaringenin. *Chem Biol Interact*. 2008;176(1):30-9.
- Overk CR, Yao P, Chen S, et al. High-content screening and mechanism-based evaluation of estrogenic botanical extracts. *Comb Chem High Throughput Screen*. 2008;11(4):283-93.
- Pauli GF, Pro SM, Friesen JB. Countercurrent separation of natural products. *J Nat Prod*. 2008;71(8):1489-508.
- Powell SL, Godecke T, Nikolic D, et al. In vitro serotonergic activity of black cohosh and identification of N(omega)-methylserotonin as a potential active constituent. *J Agric Food Chem*. 2008;56(24):11718-26.
- Schinkovitz A, Pro SM, Main M, et al. Dynamic nature of the ligustilide complex. *J Nat Prod*. 2008;71(9):1604-11.
- van Breemen RB, Fong HH, Farnsworth NR. Ensuring the safety of botanical dietary supplements. *Am J Clin Nutr*. 2008;87(2):509S-13S.

2009(2)

- Qin Z, Kastrati I, Ashgodom RT, et al. Structural modulation of oxidative metabolism in design of improved benzothioephene selective estrogen receptor modulators. *Drug Metab Dispos*. 2009;37(1):161-9.